

November 9, 2010

CURRICULUM VITAE

Name: Peter Mitchell Blumberg, Ph.D.

Education:

- | | |
|------|---|
| 1970 | - B.A. <i>Summa Cum Laude</i> (Biochemical Sciences), Harvard University, Cambridge, MA |
| 1970 | - M.A. (Biochemistry and Molecular Biology), Harvard University, Cambridge, MA |
| 1974 | - Ph.D. (Biochemistry and Molecular Biology), Harvard University, Cambridge, MA |

Brief Chronology of Employment:

- | | |
|-----------|--|
| 1969-1973 | - Graduate student, Department of Biochemistry and Molecular Biology, Harvard University, Laboratory of Dr. Jack L. Strominger, Cambridge, MA |
| 1974-1975 | - Postdoctoral fellow, Department of Biology, Massachusetts Institute of Technology, Laboratory of Dr. Phillip W. Robbins, Cambridge, MA |
| 1975-1981 | - Assistant Professor and Associate Professor, Department of Pharmacology, Harvard Medical School, Cambridge, MA |
| 1981-Date | - Chief, Molecular Mechanisms of Tumor Promotion Section, Laboratory of Cancer Biology and Genetics (formerly Laboratory of Cellular Carcinogenesis and Tumor Promotion), Center for Cancer Research, National Cancer Institute, National Institutes of Health, Bethesda, MD |

Societies:

- American Association for Cancer Research
American Association for the Advancement of Science
American Chemical Society
American Society for Pharmacology and Experimental Therapeutics
Society for Neuroscience

Honors and Special Scientific Recognition:

- Detur Award given by Harvard for academic excellence, 1967
Chemical Industries Council of New Jersey Scholarship, 1966-1970
Honorary National Honor Society Scholarship, 1966-1970
Honorary Harvard National Scholarship, 1966-1970
National Merit Scholarship, 1966-1970
Phi Beta Kappa Senior 24, 1969
A.B. Summa Cum Laude, 1970
Woodrow Wilson Fellow, 1970-1971
National Science Foundation Predoctoral Graduate Fellowship,
Harvard University Honorary Graduate National Scholarship, 1970-1973.
Helen Hay Whitney Postdoctoral Fellowship, 1973-1975
Medical Foundation Fellowship, Boston, 1978-1979
Research Career Development Award, 1979-1984
U.S.-Japan Cancer Research Exchange Scholar, University of Tokyo, October, 1985
Rhoads Memorial Award, American Assoc. Cancer Res., 1987
1989 Ronald R. Fisher Lecturer, University of South Carolina
1989 NIH Merit Award
1991 NIH Directors Award

1995 Public Health Service Superior Service Award
1995, 1997, 1999, 2002, 2003, 2004, 2005, 2006, 2007, 2008 Federal Technology Transfer Act Award
2002 NIH Director's Award for Mentoring
2002 Leading Diversity Award, National Cancer Institute
2005 NIH Director's Award for Mentoring, National Cancer Institute
2007 National Public Service Award by the American Society for Public Administration and the National Academy of Public Administration

Research Interests:

My group seeks to understand the molecular basis for specificity of ligand interaction and for regulation of two classes of validated therapeutic targets for cancer. The primary therapeutic target is that of protein kinase C and the other families of signaling proteins, such as RasGRP, which possess the C1 domain recognition motif for the ubiquitous second messenger diacylglycerol. The second target, the capsaicin receptor TRPV1, is a critical element in nociception and a therapeutic target for cancer pain.

Research Experience:

1981- present - Chief, Molecular Mechanisms of Tumor Promotion Section, Laboratory of Cancer Biology and Genetics (formerly Laboratory of Cellular Carcinogenesis and Tumor Promotion), Center for Cancer Research, National Cancer Institute
1975-1981 - Assistant/Associate Professor, Department of Pharmacology, Harvard Medical School
1974-1975 - Postdoctoral fellow, Department of Biology, Massachusetts Institute of Technology, in the laboratory of Dr. Phillip W. Robbins
1969-1975 - Graduate student, Department of Biochemistry and Molecular Biology, Harvard University, in the laboratory of Dr. Jack L. Strominger;

Professional Activities:

Associate Editor, Cancer Research 1981-1992
Associate Editor, Journal of the National Cancer Institute, 1985-present
Regional Editor, Phytotherapy Research, 1986-1991
Associate Editor, Cancer Communications, 1988-1992
Associate Editor, Oncology Research (An International Journal) 1992-2002
Editorial Board, Carcinogenesis, 1989-1991
Program Committee, American Association for Cancer Research, 1981 -1982,
1985-1986, 1990-1991, 1995-1996
Membership Committee, American Association for Cancer Research, 1981-1982
Nominating Committee, American Association for Cancer Research, 1991-1993
Clowes Award Committee, American Association for Cancer Research, 1993
Nominee, Board of Directors, American Association for Cancer Research, 1983
Biochemistry and Chemical Carcinogenesis Study Section, American Cancer Society, 1986-1989; Co-chairman, 1988, Chairman, 1989
Chemical Carcinogenesis and Nutrition Study Section, American Cancer Society, Ad hoc member, 1991
Consultant, Sterling Drug Inc., 1988-1992
National Cancer Assessors Panel, Australia, 1992
Assessors Panel, Anti-Cancer Council of Victoria, Australia, 1995 - 2002
NIH committee on Scientific Conduct and Ethics, 1995 - 2000
PRAT advisory committee, 1997 - present
Advisory Board, Center for Cancer Research, NCI 2007 - 2009
Chemists in Cancer Research Nominating Committee, American Association for Cancer Research, 2007

PATENTS

1. Patent No. 4,939,149, Serial No. 7/261,627, filed 10/24/88 entitled: "Use of resiniferatoxin and analogs thereof to cause sensory afferent-C-fiber and thermoregulatory desensitization" by P. M. Blumberg, issued July 3, 1990. Exclusive license for restricted fields of use to Afferon Corporation.
2. Patent No. 5,021,450, Serial No. 07/358,073, filed 5/30/89 entitled "New class of compounds having a variable spectrum of activities for capsaicin-like responses, compositions, and uses thereof" by P. M. Blumberg, issued June 4, 1991. (European patent application No. 90907806.5, Patent No. 0 474 672, issued August 21, 1996). Exclusive license for restricted fields of use to Afferon Corporation.
3. Patent No. 5,232,684, Serial No. 07/546,141, filed 5/29/90 entitled "Labeled resiniferatoxin, compositions thereof, and methods of using the same" by P. M. Blumberg, A. Szallasi, and Z. Szallasi, issued August 3, 1993. License to Perkin Elmer.
4. Patent No. 5,599,839, Serial No. 08/424,558 filed 5/30/90 entitled "An antiviral composition" by M. R. Boyd, P. A. Cox, G. M. Cragg, P. M. Blumberg, N. A. Sharkey, J. Ishitoya, J. B. McMahon, J. A. Beutler, O. S. Weislow, J. H. Cardellina II, and K. R. Gustafson, issued February 4, 1997. Licensed to AIDS Research Alliance.
5. Patent No. 5,290,816, Serial No. 07/515,721, filed 6/21/90 entitled "Composition of resiniferatoxin and analogues thereof to cause sensory afferent C-Fiber and Thermoregulatory Desensitization" by P. M. Blumberg, issued March 1, 1994. Exclusive license for restricted fields of use to Afferon Corporation.
6. Patent No. 5,821,269, Serial No. 07/892,484, filed June 3, 1992 entitled "Treated bird seed preferentially palatable to birds but not palatable to animals having capsaicin sensitive receptors, by P.M. Blumberg, issued Oct. 13, 1998. Exclusive license to Snyder Seed Corporation.
7. Patent No. 5,672,354, Serial No. 08/596,807, filed Feb. 5, 1996 entitled "Treated bird seed preferentially palatable to birds but not palatable to animals having capsaicin sensitive receptors" by P. M. Blumberg, issued September 30, 1997. Exclusive license to Snyder Seed Corporation.
8. Patent 5,879,696, Serial no. 08/874,082, filed June 12, 1997, entitled "Treated bird seed preferentially palatable to birds but not to animals", by Peter M. Blumberg, issued March 9, 1999. Exclusive license to Snyder Seed Corporation.
9. Patent No. 5,420,162, Serial No. 07/924,439, filed 4/8/91 entitled "Phorbol ester pharmaceutical compositions and their use for treating inflammation" by P. M. Blumberg and Z. Szallasi, issued May 30, 1995.
10. Patent No. 5,405,875, Serial No. 08/064,251, filed 5/21/93 entitled "Method of inhibiting neoplasia and tumor promotion" by P. M. Blumberg and Z. Szallasi, issued April 11, 1995.
11. Patent No. 5,874,464, Serial No. 08/372,602, filed Jan 13, 1995, entitled "Conformationally restricted diacylglycerol analogues as potent protein kinase C agonists" by V.E. Marquez, J. Lee, R. Sharma, S. Wang, G.W.A. Milne, M.C. Nicklaus, P.M. Blumberg, and N.E. Lewin, issued Feb. 23, 1999.
12. Patent 5,674,902, serial No. 08/452,392 (Divisional of U.S.S.N. 07/924,439) filed on May 26, 1995 entitled "Method of inhibiting hyperplasia to a mammal in need thereof" by P.M. Blumberg and Z. Szallasi, issued October 7, 1997.

13. Patent 6,060,505, Serial 09/142,945, filed on March 20, 1996, entitled "Method of treating cancer using 26-epi-bryostatin and analogues thereof" by P. M. Blumberg, Z. Szallasi, and G.R. Pettit, issued May 5, 2000.
14. International Patent Application No. PCT/US97/21723 (corresponding to U.S.S. N. 60/030,999, filed on November 15, 1996), entitled "Vanilloid agonists for desensitization of C-fiber sensory afferent neurons" by P. M. Blumberg, T. Biro, P. Acs, and G. Acs.
15. European Patent 0546078, application No. 91916656.1, filed on August 23, 1991, entitled "Birdfood containing capsaicin or its derivatives or analogues", by Peter M. Blumberg, issued February 24, 1999.
16. Provisional patent 60/310,656 filed on August 6, 2001, entitled "Structurally novel constrained diacylglycerol (DAG) mimetics as potent protein kinase C alpha (PKC alpha) activators and potent inducers of apoptosis", by J. Lee, V.E. Marquez, P.M. Blumberg, M.G. Kazanietz. Commercial evaluation license issued to Peplin under license agreement L-218-02/0 May, 2002.
17. Provisional patent 60/395,914, filed July 15, 2002 (PCT/US03/22038, filed July 14, 2003) entitled "Protein kinase modulators and methods of use thereof", by P.M. Blumberg, H. Hennings, and A.P. Kozikowski.
18. Provisional patent 60/471,210 filed May 16, 2003 entitled "Vanilloid receptor antagonists, and methods of making and using them", by A.P. Kozikowski, P.M. Blumberg, and A. Toth.
19. Provisional patent 60/558,003, filed March 26, 2004 entitled "Vanilloid receptor agonists", by P.M. Blumberg and J. Lee
20. Provisional patent 60/572,126, filed May 19, 2004, entitled "Composition of matter and methods of use of fluorescent protein kinases", by P.M. Blumberg and D. Braun
21. Provisional patent 61/340,063, filed March 12. 2010, entitled "Agonist/antagonist compositions and methods of use", by P.M. Blumberg and L.V. Pearce

BIBLIOGRAPHY

1. Blumberg, P. M.: A mercurial derivative of the Fc fragment of a human myeloma protein. A.B. thesis, Harvard University, 1969.
2. Steiner, L. A. and Blumberg, P. M.: Mercury derivatives of the Fab and Fc fragments of a human myeloma protein. Biochemistry 10: 4727-4739, 1971.
3. Blumberg, P. M. and Strominger, J. L.: Inactivation of D-alanine carboxypeptidase by penicillins and cephalosporins is not lethal in Bacillus subtilis. Proc. Natl. Acad. Sci. USA 68: 2814-2817, 1971.
4. Strominger, J. L., Blumberg, P. M., Suginaka, H., Umbreit, J. and Wickus, G.: How penicillin kills bacteria - progress and problems. Proc. Roy. Soc. Lond. Ser. B 179: 369-383, 1971.
5. Suginaka, H., Blumberg, P. M. and Strominger, J. L.: Multiple penicillin binding components in Bacillus subtilis, Bacillus cereus, Staphylococcus aureus, and Escherichia coli. J. Biol. Chem. 247: 5279-5288, 1972.
6. Blumberg, P. M. and Strominger, J. L.: Five penicillin binding components occur in membranes of Bacillus subtilis. J. Biol. Chem. 247: 8107-8113, 1972.
7. Blumberg, P. M. and Strominger, J. L.: Isolation by covalent affinity chromatography of the penicillin-binding components from membranes of Bacillus subtilis. Proc. Natl. Acad. Sci. USA 69: 3751-3755, 1972.
8. Blumberg, P. M. and Strominger, J. L.: Covalent affinity chromatography as a means of purifying the penicillin binding components from bacterial membranes. Methods in Enzymology 34: 401-405, 1974.
9. Strominger, J. L., Willoughby, E., Kamiryo, T., Blumberg, P. M. and Yocom, R. R.: Penicillin sensitive enzymes and penicillin binding components in bacterial cells. Ann. NY Acad. Sci. 235: 10-224, 1974.
- I0. Blumberg, P. M.: Penicillin binding components of bacterial cells and their relationship to the mechanism of penicillin action. Ann. NY Acad. Sci. 235: 310-325, 1974.
- II. Matsuhashi, S., Kamiryo, T., Blumberg, P. M., Linnett, P., Willoughby, E. and Strominger, J. L.: Study of the mechanism of action and development of resistance to a new amidino penicillin. J. Bact. 117: 578-587, 1974.
- I2. Storm, D. R., Blumberg, P. M. and Strominger, J. L.: Inhibition of the Bacillus subtilis membrane-bound D-alanine carboxypeptidase by 6-amino- penicillanic acid covalently coupled to Sepharose. J. Bact. 117: 783-785, 1974.

- I3. Anwar, R., Blumberg, P. M. and Strominger, J. L.: Penicillin binding components in Bacillus subtilis during sporulation. J. Bact. 117: 924-925, 1974.
- I4. Sharpe, A., Blumberg, P. M. and Strominger, J. L.: D-alanine carboxy-peptidase and cell wall cross-linking in Bacillus subtilis. J. Bact. 117: 926-927, 1974.
- I5. Yocom, R. R., Blumberg, P. M. and Strominger, J. L.: Purification and characterization of the thermophilic D-alanine carboxypeptidase from membranes of Bacillus stearothermophilus. J. Biol. Chem. 249: 4863-4871, 1974.
- I6. Blumberg, P. M., Yocom, R. R., Willoughby, E. and Strominger, J. L.: Binding of ¹⁴C-penicillin G to the membrane-bound and the purified D-alanine carboxypeptidases from Bacillus subtilis and Bacillus stearothermophilus and its release. J. Biol. Chem. 249: 6829-6835, 1974.
- I7. Blumberg, P. M. and Strominger, J. L.: The interaction of penicillin with the bacterial cell: penicillin binding proteins and penicillin sensitive enzymes. Bacteriological Reviews 38: 291-335, 1974.
- I8. Blumberg, P. M.: Penicillin binding components of Bacillus subtilis, Ph.D. Thesis, Harvard University, 1974.
- I9. Robbins, P. W., Wickus, G. G., Branton, P. E., Gaffney, B. J., Hirschberg, C. B., Fuchs, P. and Blumberg, P. M.: The chick fibroblast cell surface following transformation by Rous sarcoma virus. Cold Spring Harbor Symposium on Quantitative Biology 39: II73-II80, 1975.
- I20. Blumberg, P. M. and Robbins, P. W.: Relation of protease action on the cell surface to growth control and adhesion. In: Proteases and Biological Control, Reich, E., Rifkin, D. B., and Shaw, E., (Eds.). Cold Spring Harbor Laboratory, pp. 945-956, 1975.
- I21. Blumberg, P. M. and Robbins, P. W.: Effect of proteases on activation of resting chick embryo fibroblasts and on cell surface proteins. Cell 6: I37-I47.
- I22. Blumberg, P. M., Driedger, P. E. and Rossow, P. W.: Effect of a phorbol ester on a transformation-sensitive surface protein of chick fibroblasts. Nature 264: 446-447, 1976.
- I23. Driedger, P. E. and Blumberg, P. M.: Effects of phorbol diesters on chick embryo fibroblasts. Cancer Res. 37: 3257-3265, 1977.
- I24. Driedger, P. E. and Blumberg, P. M.: Design and construction of a simple and inexpensive slab gel electrophoresis apparatus. Anal. Biochem. 87: 177-186, 1978.
- I25. McConnell, M. R. and Blumberg, P. M.: Subunit structure of surface and shed LETS protein of chick embryo fibroblasts. Ann. NY Acad. Sci. 312: 418-419, 1978.

26. McConnell, M. R., Blumberg, P. M. and Rossow, P. W.: Dimeric and high molecular weight forms of LETS protein on the surface of chick embryo fibroblasts. J. Biol. Chem. 253: 7522-7530, 1978.
27. Driedger, P. E. and Blumberg, P. M.: Non-phorbol mouse skin tumor promoters do not mimic phorbol myristate acetate in its effects on chick embryo Fibroblasts. Int. J. Cancer 22: 63-69, 1978.
28. Driedger, P. E. and Blumberg, P. M.: Quantitative correlation between in vitro and in vivo activities of phorbol esters. Cancer Res. 39: 714-719, 1979.
29. Delclos, K. B. and Blumberg, P. M.: Decrease in collagen production in normal and Rous sarcoma virus transformed chick embryo fibroblasts induced by phorbol myristate acetate. Cancer Res. 39: 1667-1672, 1979.
30. Driedger, P. E. and Blumberg, P. M.: Structure-activity relationships in chick embryo fibroblasts for phorbol related diterpene esters showing anomalous activities in vivo. Cancer Res. 40: 339-346, 1980.
31. Nagle, D. S. and Blumberg, P. M.: Activity of phorbol ester tumor promoters on enucleated Swiss 3T3 Cells. Cancer Res. 40: 1066-1072, 1980.
32. Driedger, P. E. and Blumberg, P. M.: Different biological targets for resiniferatoxin and phorbol I2-myristate I3-acetate. Cancer Res. 40: 1400-1404, 1980.
33. Goldberg, A. R., Delclos, K. B. and Blumberg, P. M.: Phorbol ester action is independent of viral and cellular src kinase levels. Science 208: 191-193, 1980.
34. Driedger, P. E. and Blumberg, P. M.: Specific binding of phorbol ester tumor promoters. Proc. Natl. Acad. Sci. USA 77: 567-571, 1980.
35. Delclos, K. B., Nagle, D. S. and Blumberg, P. M.: Specific binding of phorbol ester tumor promoters to mouse skin. Cell 19: 1025-1032, 1980.
36. Dunphy, W. G., Lau, C. C. and Blumberg, P. M.: Phorbol related diterpene esters have similar structure-activity relations in Swiss 3T3 cells and chicken embryo fibroblasts. Carcinogenesis 1: 347-351, 1980.
37. Dunphy, W. G., Delclos, K. B. and Blumberg, P. M.: Characterization of specific binding of ³H-phorbol I2,I3-dibutyrate and ³H-phorbol I2-myristate I3-acetate to mouse brain. Cancer Res. 40: 3635-3641, 1980.
38. Blumberg, P. M.: In vitro studies on the mode of action of the phorbol esters, potent tumor promoters, Part I. Crit. Rev. Toxicol. 8: 153-197, 1980.

39. Blumberg, P. M.: In vitro studies on the mode of action of the phorbol esters, potent tumor promoters, Part 2. Crit. Rev. Toxicol. 8: I99-234, 1981.
40. Nagle, D. S., Jaken, S., Castagna, M. and Blumberg, P. M.: Variation with embryonic development and regional localization of specific ³H-phorbol I2,I3-dibutyrate binding to brain. Cancer Res. 41: 89-93, 1981.
41. Dunphy, W. G., Kochenburger, R. J., Castagna, M. and Blumberg, P. M.: Kinetics and subcellular localization of specific ³H-phorbol I2,I3-dibutyrate binding by mouse brain. Cancer Res. 41: 2640-2647, 1981.
42. Jaken, S., Tashjian, Jr, A. H. and Blumberg P. M.: Characterization of phorbol ester receptors and their down modulation in GH₄C₁ rat pituitary cells. Cancer Res. 41: 2175-2181, 1981.
43. Jaken, S., Tashjian Jr., A. H. and Blumberg P. M.: Relationship between biological responsiveness to phorbol esters and receptor levels in GH₄C₁ rat pituitary cells. Cancer Res. 41: 4956-4960, 1981.
44. Blumberg, P. M., Butler-Gralla, E. and Herschman, H. R.: Analysis of phorbol ester receptors in phorbol ester unresponsive 3T3 cell variants. Biochem. Biophys. Res. Commun. 102: 818-823, 1981.
45. McConnell, M. R. and Blumberg, P. M.: Transformation of chick embryo fibroblasts by Rous sarcoma virus does not inhibit the assembly of fibronectin into reduction-sensitive dimer and high molecular weight complex. Cytobios 33: 89-I02, 1982.
46. Blumberg, P. M., Delclos, K. B., Dunphy, W. G. and Jaken, S.: Specific binding of phorbol ester tumor promoters to mouse tissues and cultured cells. In: Cocarcinogenesis and Biological Effects of Tumor Promoters, Hecker, E., Fusenig, N. E., Kunz, W., Marks, F., and Thielmann, H. W. (Eds.) New York, Raven Press, 1982, pp. 519-535.
47. Lew, K. K., Chritton, S. and Blumberg, P. M.: Biological responsiveness to the phorbol esters and specific binding of ³H-phorbol I2,I3-dibutyrate in the nematode *Caenorhabditis elegans*, a manipulable genetic system. Teratog. Carcinog. Mutagen. 2: I9-30, 1982.
48. Delclos, K. B. and Blumberg P. M.: Identification of ascorbic acid as the heat stable factor from brain which inactivates the phorbol ester receptor. Cancer Res. 42: I227-I232, 1982.
49. Colburn, N. H., Gindhart, T. D., Hegamyer, G. A., Blumberg, P. M., Delclos, K. B., Magun, B. E. and Lockyer, J.: Phorbol diester and epidermal growth factor receptors in I2-O-tetradecanoylphorbol-13-acetate-resistant and sensitive mouse epidermal cells. Cancer Res. 42: 3093-3097, 1982.
50. Tauber, A. I., Brettler, D. B., Kennington, E. A. and Blumberg, P. M.: Relation of human neutrophil phorbol ester receptor occupancy and NADPH-oxidase activity. Blood 60: 333-339, 1982.

51. Burstein, D. E., Blumberg, P. M. and Greene, L. A.: Nerve growth-factor induced neuronal differentiation of PC12 pheochromocytoma cells: Lack of inhibition by a tumor promoter. Brain Res. 247: II5-II9, 1982.
52. Blumberg, P. M., Delclos, K. B. and Jaken, S.: Tissue and species specificity for phorbol ester receptors. In: Organ and Species Specificity in Chemical Carcinogenesis, Langenbach, R., Nesnow, S., and Rice, J. (Eds.), New York, Plenum Press, 1983, pp. 201-229.
53. Jaken, S., Shupnik, M. A., Blumberg, P. M. and Tashjian, A. H. Jr.: Relationship between mezerein-mediated biological responses and phorbol ester receptor occupancy. Cancer Res. 43: II-14, 1983.
54. Nagle, D. S., and Blumberg, P. M.: Regional localization by light micro- scopic autoradiography of receptors in mouse brain for phorbol ester tumor promoters. Cancer Lett. 18: 35-40, 1983.
55. Blumberg, P. M., Delclos, K. B., Dunn, J. A., Jaken, S., Leach, K. L. and Yeh, E.: Phorbol ester receptors and the in vitro effects of tumor promoters. Proc. NY Acad. of Sci. 407: 303-315, 1983.
56. Delclos, K. B., Yeh, E. and Blumberg, P. M.: Specific labeling of mouse brain membrane phospholipids with [20-³H]phorbol I2-p-azidobenzoate, a photolabile phorbol ester. Proc. Natl. Acad. Sci. USA 80: 3054-3058, 1983.
57. Leach, K. L., James, M. L. and Blumberg, P. M.: Characterization of a specific phorbol ester apo-receptor in mouse brain cytosol. Proc. Natl. Acad. Sci. USA 80: 4208-4212, 1983.
58. Dunn, J. A. and Blumberg, P. M.: Specific binding of [20-³H]I2-deoxy- phorbol I3-isobutyrate to phorbol ester receptor subclasses in mouse skin particulate preparations. Cancer Res. 43: 4632-4637, 1983.
59. Jaken, S., Feldman, H. Blumberg, P. M., and Tashjian, A. H. Jr.: Association of phorbol ester receptor down modulation with a cryptic receptor state. Cancer Res. 43: 5795-5800, 1983.
60. Sharkey, N. A., Leach, K. L. and Blumberg, P. M.: Competitive inhibition by diacylglycerol of specific phorbol ester binding. Proc. Natl. Acad. Sci. USA 81: 607-610, 1984.
61. Blumberg, P. M., Dunn, J. A., Jaken, S., Jeng, A. Y., Leach, K. L., Sharkey, N. A. and Yeh, E.: Specific receptors for the phorbol ester tumor promoters and their involvement in biological responses. In: Mechanism of Tumor Promotion, Vol. 3. Tumor Promotion and Cocarcinogenesis in Vitro, Slaga, T. J. (Ed.). Boca Raton, CRC Press, 1984, pp. I43-I84.
62. Blumberg, P. M., Jaken, S., Konig, B., Sharkey, N. A., Leach, K. L., Jeng, A. Y. and Yeh, E.: Mechanism of action of the phorbol ester tumor promoters: Specific receptors for lipophilic ligands. Biochem. Pharmacol. 33: 933-940, 1984.

63. Blumberg, P. M., Sharkey, N. A., Konig, B., Jaken, S., Leach, K. L. and Jeng, A. Y.: Membrane and cytosolic receptors for the phorbol ester tumor promoters. In: Cancer Cells, Vol I. The Transformed Phenotype, Levine, A. J., Vande Woude, G. F., Topp, W. C., and Watson, J. D. (Eds.). Cold Spring Harbor Laboratory, Cold Spring Harbor, N.Y., 1984, pp. 245-251.
64. Blumberg, P. M., Konig, B., Sharkey, N. A., Leach, K. L., Jaken, S. and Jeng, A. Y.: Analysis of membrane and cytosolic phorbol ester receptors. In: Models, Mechanisms, and Etiology of Tumor Promotion, Borzsonyi, M., Day, N. E., Lapis, K., and Yamasaki, H. (Eds.). International Agency for Research on Cancer, Lyon, France, 1984, pp. I39-I56.
65. Blumberg, P. M., Sharkey, N. A., Konig, B., Jaken, S., Leach K. L. and Jeng, A. Y.: Phorbol ester receptors - insights into the initial events in the mechanism of action of the phorbol esters. In: Cellular Interactions by Environmental Tumor Promoters, Fujiki, H., Hecker, E., Moore, R. E., Sugimura, T., and Weinstein, I. B. (Eds.). Tokyo, Japan Sci. Soc. Press, Japan, 1984, pp. 75-87.
66. Blumberg, P. M., Konig, B., Sharkey, N. A., Jaken, S., Leach, K. L. and Jeng, A. Y.: Analysis of Phorbol Ester Receptors: A biochemical approach to understanding the mechanism of action of tumor promoters. In: Molecular and Cellular Approaches to Understanding Mechanisms of Toxicity, Tashjian, A. H. Jr. (Ed.). Harvard School of Public Health, Boston, MA, pp. I08-I27, 1984.
67. Sharkey, N. A. and Blumberg, P. M.: Highly lipophilic phorbol esters as inhibitors of specific [³H]phorbol I₂,I₃-dibutyrate binding. Cancer Res. 45: I9-24, 1985.
68. Konig, B., DiNitto, P. A. and Blumberg, P. M.: Phospholipid and Ca⁺⁺- dependency of phorbol ester receptors. J. Cell. Biochem. 7: 255-265, 1985.
69. Blumberg, P. M., Jeng, A. Y., Konig, B., Sharkey, N. A., Leach, K. L. and Jaken, S.: Receptors and endogenous analogues for the phorbol ester tumor promoters. In: The Role of Chemicals and Radiation in the Etiology of Cancer, Huberman, E. and Barr, S. H., (Eds.). New York, Raven Press, 1985, pp. 249-262.
70. Leach, K. L. and Blumberg, P. M.: Modulation of protein kinase C activity and [³H]phorbol I₂,I₃-dibutyrate binding by various tumor promoters. Cancer Res. 45: I958-I963, 1985.
71. Blumberg, P. M., Leach, K. L., Konig, B., Jeng, A. Y. and Sharkey, N. A.: Receptors for the phorbol ester tumor promoters. In: Growth Factors in Biology and Medicine, Evered, D., Nugent, J., and Whelan, J. (Eds.). London, Pitman Publishing Ltd., 1985, pp. 205-223.
72. Konig, B., DiNitto, P. A. and Blumberg, P. M.: Stoichiometric binding of diacylglycerol to the phorbol ester receptor. J. Cell. Biochem. 29: 37-44, 1985.
73. Little, J. B., Nagasawa, H., Weichselbaum, R. R., Lovett, D. R., Schmit, A., Kochenburger, R. J. and Blumberg, P. M.: Differing patterns of cytotoxicity of the phorbol ester I₂-0-tetradecanoyl-phorbol I₃-acetate in various human cell strains. Carcinogenesis 6: 1703-1708, 1985.

74. Dunn, J. A., Jeng, A. Y., Yuspa, S. H. and Blumberg, P. M.: Heterogeneity of [³H]phorbol I2,I3-dibutyrate binding in primary mouse keratinocytes at different stages of maturation. Cancer Res. 45: 5540-5546, 1985.
75. Cox, J. A., Jeng, A. Y., Sharkey, N. A., Blumberg, P. M. and Tauber, A. I.: Activation of the human neutrophil NADPH-oxidase by protein kinase C. J. Clin. Invest. 76: 1932-1938, 1985.
76. Jeng, A. Y., Lichti, U., Strickland, J. E. and Blumberg, P. M.: Similar effects of phospholipase C and phorbol ester tumor promoters on primary mouse epidermal cells. Cancer Res. 45: 5714-5721, 1985.
77. Sharkey, N. A. and Blumberg, P. M.: Kinetic evidence that 1,2-diolein inhibits phorbol ester binding to protein kinase C via a competitive mechanism. Biochem. Biophys. Res. Commun. 133: 1051-1056, 1985.
78. Lichti, U., Strickland, J. E., Jeng, A. Y. and Blumberg, P. M.: Phospho-lipase C mimics I2-O-tetradecanoylphorbol I3-acetate in the induction of ornithine decarboxylase and other biochemical changes in mouse epidermal keratinocytes. In: Recent Progress in Polyamine Research, Selmeci, L., Brosnan, M. E., and Seiler, N. (Eds.). Pergamon Press, Oxford, 1985, pp. 413-422.
79. Blumberg, P. M., Jeng, A. Y., Konig, B., Sharkey, N. A., Leach, K. L. and Jaken, S.: Phorbol esters as probes of the regulatory site on protein kinase C. In: Natural Products and Biological Activities, Imura, H., Goto, T., Murachi, T., and Nakajima, T. (Eds.) New York, Elsevier, 1986, pp. 167-178.
80. Jeng, A. Y., Sharkey, N. A. and Blumberg, P. M.: Purification of stable protein kinase C from mouse brain cytosol by specific ligand elution on fast protein liquid chromatography. Cancer Res. 46: 1966-1971, 1986.
81. Sharkey, N. A. and Blumberg, P. M.: Comparison of the activity of phorbol 12-myristate 13-acetate and the diglyceride glycerol 1-myristate 2-acetate. Carcinogenesis 7: 677-679, 1986.
82. Jeng, A. Y., Sharkey, N. A. and Blumberg, P. M.: Purification of stable protein kinase C from mouse brain cytosol by specific ligand elution on fast protein liquid chromatography. FPLC Biocommunique 3: 6-7, 1986.
83. Wender, P. A., Koehler, K. F., Sharkey, N. A., Dell'Aquila, M. L. and Blumberg, P. M.: Analysis of the phorbol ester pharmacophore on protein kinase C as a guide to the rational design of new classes of analogs. Proc. Natl. Acad. Sci. USA 83: 4214-4218, 1986.
84. Pasti, G., Lacal, J.-C., Warren, B. S., Aaronson, S. and Blumberg, P. M.: Loss of Swiss 3T3 response to phorbol ester restored by microinjected protein kinase C. Nature 324: 375-377, 1986.
85. Cox, J. A., Jeng, A. Y., Blumberg, P. M. and Tauber, A. I.: Comparison of subcellular activation of the human neutrophil NADPH-oxidase by arachidonic acid, sodium dodecyl sulfate (SDS), and phorbol myristate acetate (PMA). J. Immunol. 138: 1884-1888, 1987.

86. Blumberg, P. M., Nakadate, T., Warren, B. S., Dell'Aquila, M., Sako, T., Pasti, G. and Sharkey, N. A.: Phorbol esters as probes of the modulatory site on protein kinase C. Bot. J. Linn. Soc. 94: 283-292, 1987.
87. Jeng, A. Y., Srivastava, S. K., Lacal, J.C. and Blumberg, P. M.: Phosphorylation of ras oncogene product by protein kinase C. Biochem. Biophys. Res. Commun. 145: 782-788, 1987.
88. Blumberg, P. M., de Vries, D. J., Dell'Aquila, M. L., Nakadate, T., Pasti, G., Sako, T., Sharkey, N. A. and Warren, B. S.: Phorbol ester tumor promoters as probes of the role of protein kinase C in cellular regulation. In: Modern Cell Biology, Waymouth, C. (Ed.) New York, A. R. Liss, 1987, pp. 79-84.
89. Nakadate, T., Jeng, A. Y. and Blumberg, P. M.: Effect of phospholipid on substrate phosphorylation by a catalytic fragment of protein kinase C. J. Biol. Chem. 262: 11507-11513, 1987.
90. Leach, K. L., Frost, M. M., Blumberg, P. M. and Bressler, J. P. Second stage tumor promoters: Differences in biological potency and phorbol ester receptor affinity. Cancer Lett. 36: 139-147, 1987.
91. Hennings, H., Blumberg, P. M., Pettit, G. R., Herald, C. L., Shores, R. and Yuspa, S. H.: Bryostatin 1, an activator of protein kinase C, inhibits tumor promotion by phorbol esters in SENCAR mouse skin. Carcinogenesis 8: 1343-1346, 1987.
92. Sako, T., Yuspa, S. H., Herald, C. L., Pettit, G. R. and Blumberg, P. M.: Partial parallelism and partial blockade by bryostatin 1 of effects of phorbol ester tumor promoters on primary mouse epidermal cells. Cancer Res. 47: 5445-5450, 1987.
93. Dell'Aquila, M. L., Warren, B. S., DeVries, J. D. and Blumberg, P. M.: Protein kinase C as the site of action of the phorbol ester tumor promoters. In: Development and Recognition of the Transformed Cell, Hamaoka, T. and Greene, M. I. (Eds.). New York, Plenum Press, 1987, pp. 157-185.
94. Dell'Aquila, M. L., Nguyen, H. T., Herald, C. L., Pettit, G. R. and Blumberg, P. M.: Bryostatin 1 inhibits the phorbol ester-induced blockage of differentiation in hexamethylene bisacetamide-treated Friend erythroleukemia cells. Cancer Res. 47: 6006-6009, 1987.
95. Lacal, J. C., Fleming, T. P., Warren, B. S., Blumberg, P. M. and Aaronson, S. A.: Involvement of functional protein kinase C in the mitogenic response to the H-ras oncogene product. Mol. Cell Biol. 7: 4146-4149, 1987.
96. Yeh, E., Sharkey, N. A. and Blumberg, P. M.: Influence of side chains on phorbol ester binding to protein kinase C. Phytotherapy Res. 1: 135-139, 1987.
97. Nakadate, T. and Blumberg, P. M.: Modulation by palmitoylcarnitine of protein kinase C activation.

Cancer Res. 47: 6537-6542, 1987.

98. Yuspa, S. H., Hennings, H., Sako, T., Pettit, G. R. Hartley, J. and Blumberg, P. M.: Tumor promotion: A problem of differential responses of normal and neoplastic cells to trophic stimuli. In: Second International Conference on Anticarcinogenesis and Radiation Protection, Cerutti, P. A., Nygaard, O. F. and Simic, M. G. (Eds.), New York, Plenum Press, 1987, pp. 169-174.
99. Blumberg, P. M.: Protein kinase C as the receptor for the phorbol ester tumor promoters. Sixth Rhoads Memorial Award Lecture. Cancer Res. 48: 1-8, 1988.
100. Pasti, G., Rivedal, E., Yuspa, S. H., Herald, C. L., Pettit, G. R. and Blumberg, P. M.: Transient inhibition of cell-cell communication in primary mouse epidermal cells by bryostatin 1. Cancer Res. 48: 447-451 1988.
101. Nakadate, T., Jeng, A. Y. and Blumberg, P. M.: Comparison of protein kinase C functional assays to clarify mechanisms of inhibitor action. Biochem. Pharmacol. 37: 1541-1545, 1988.
102. Dell'Aquila, M. L., Herald, C. L., Kamano, Y., Pettit, G. R. and Blumberg, P. M.: Differential effects of bryostatins and phorbol esters on arachidonic acid metabolite release and epidermal growth factor binding in C3H10T1/2 cells. Cancer Res. 48: 3702-3708, 1988.
103. Sako, T., Tauber, A. I., Jeng, A. Y., Yuspa, S. H. and Blumberg, P. M.: Contrasting actions of staurosporine, a protein kinase C inhibitor, on human neutrophils and primary mouse epidermal cells. Cancer Res. 48: 4646-4650, 1988.
104. Wender, P. A., Cribbs, C. M., Koehler, K. F., Sharkey, N. A., Herald, C. L., Kamano, Y., Pettit, G. R. and Blumberg, P. M.: Modeling of the bryostatins to the phorbol ester pharmacophore on protein kinase C. Proc. Nat. Acad. Sci. USA. 85: 7197-7201, 1988.
105. Warren, B. S., Kamano, Y., Pettit, G. R. and Blumberg, P. M.: Mimicry of bryostatin 1 induced phosphorylation patterns in HL-60 cells by high phorbol ester concentrations. Cancer Res. 48: 5984-5988, 1988.
106. de Vries, D. J., Herald, C. L., Pettit, G. R. and Blumberg, P. M.: Demonstration of subnanomolar affinity of bryostatin 1 for the phorbol ester receptor in rat brain. Biochem. Pharmacol. 37: 4069-4073, 1988.
107. de Vries, D. J. and Blumberg, P. M.: Thermoregulatory effects of resiniferatoxin in the mouse: Comparison with capsaicin. Life Sci. 44: 711-715, 1989.
108. Tauber, A. I., Cox, J. A., Curnutte, J. T., Carroll, P. M., Nakakuma, H., Warren, B., Gilbert, H. and Blumberg, P. M.: Activation of human neutrophil NADPH-oxidase in vitro by the catalytic fragment of protein kinase-C. Biochem.Biophys. Res. Commun. 158: 884-890, 1989.

109. Blumberg, P. M., Pettit, G. R., Warren, B. S., Szallasi, A., Schuman, L. D., Sharkey, N. A., Nakakuma, H., Dell'Aquila, M. L. and de Vries, D. J.: The protein kinase C pathway in tumor promotion. In: Skin Carcinogenesis, Mechanisms and Human Relevance, Slaga, T.J., Klein-Szanto, A.J.P., Boutwell, R.K., Stevenson, D.E., Spitzer, H.L., and D'Motto, B. (Eds.), New York, Alan R. Liss, Inc., 1989, pp. 201-212.
110. Szallasi, A. and Blumberg, P. M.: Resiniferatoxin, a phorbol-related diterpene, acts as an ultrapotent analog of capsaicin, the irritant constituent in red pepper. Neuroscience 30: 515-520, 1989.
111. Jeng, A. Y. and Blumberg, P. M.: Biochemical mechanisms of action of the phorbol ester class of tumor promoters. In: The Pathobiology of Neoplasia, Sirica, A. (Ed.). Plenum Press, New York, 1989, pp. 371-383.
112. Pettit, G. R., Kamano, Y., Schaufelberger, D., Herald, C. L., Blumberg, P. M. and May, S. W.: High performance liquid chromatographic separation of bryostatins 1-12. J. Liquid Chromatogr. 12: 553-561 (1989).
113. Leach, K. L. and Blumberg, P. M.: Tumor promoters, their receptors, and their actions. In: Inositol Lipids in Cell Signalling, Michell, R. H., Drummond, A. H., and Downes, C. P. (Eds.). Academic Press, New York, 1989, pp. 179-205.
114. Nakakuma, H., Willingham, M. C. and Blumberg, P. M.: Effect of microinjected catalytic fragment of protein kinase C on morphological change in Swiss 3T3 cells. Cancer Comm. 1: 127-132, 1989.
115. Sharkey, N. A., Hennings, H., Yuspa, S. H. and Blumberg, P. M.: Comparison of octahydromezerein and mezerein as protein kinase C activators and as mouse skin tumor promoters. Carcinogenesis 10: 1937-1941, 1989.
116. Szallasi, A. and Blumberg, P. M.: Neurogenic component of phorbol ester-induced mouse skin inflammation. Cancer Res. 49: 6052-6057, 1989.
117. Szallasi, A., Joo, F. and Blumberg, P. M.: Duration of desensitization and ultrastructural changes in dorsal root ganglia of rats treated with resiniferatoxin, an ultrapotent capsaicin analog. Brain Res. 503: 68-72, 1989.
118. Szallasi, A., Sharkey, N. A. and Blumberg, P. M.: Structure-activity analysis of resiniferatoxin analogs. Phytotherapy Res. 6: 253-257, 1989.
119. Szallasi, A. and Blumberg, P. M.: Effect of resiniferatoxin pretreatment on the inflammatory response to phorbol 12-myristate 13-acetate in mouse strains with different susceptibilities to phorbol ester tumor promotion. Carcinogenesis 11: 583-587, 1990.
120. Szallasi, A. and Blumberg, P. M.: Specific binding of resiniferatoxin, an ultrapotent capsaicin analog, by dorsal root ganglion membranes. Brain Res. 524: 106-111, 1990.

121. Szallasi, A. and Blumberg, P.M.: Resiniferatoxin and its analogs provide novel insights into the pharmacology of the vanilloid (capsaicin) receptor. Life Sci. 47: 1399-1408, 1990.
122. Szolcsanyi, J., Szallasi, A., Szallasi, Z., Joo, F. and Blumberg, P.M.: Resiniferatoxin, an ultrapotent selective modulator of capsaicin-sensitive primary afferent neurons. J. Pharmacol. Exp. Ther. 255: 923-928, 1990.
123. Szallasi, A., Szallasi, Z. and Blumberg, P.M.: Permanent effects of neonatally administered resiniferatoxin in the rat. Brain Res. 537: 182-186, 1990.
124. Szallasi, A. and Blumberg, P.M.: Molecular target size of the vanilloid (capsaicin) receptor in pig dorsal root ganglia. Life Sci. 48: 1863-1869, 1991.
125. Lewin, N. E., Pettit, G. R., Kamano, Y. and Blumberg, P.M.: Binding of [26-³H]epi-bryostatin 4 to protein kinase C. Cancer Comm. 3: 67-70, 1991.
126. Szallasi, A. and Blumberg, P.M.: Characterization of vanilloid receptors in the dorsal horn of pig spinal cord. Brain Res. 547: 335-338, 1991.
127. Pettit, G. R., Sengupta, D., Herald, C. L., Sharkey, N. A. and Blumberg, P. M.: Synthetic conversion of bryostatin 2 to bryostatin 1 and related bryopyrans. Can. J. Chem. 69: 856-860, 1991.
128. Pettit, G. R., Gao, F., Herald, C. L., Blumberg, P. M., Lewin, N. E. and Nieman, R. A.: Antineoplastic Agents. 224. Isolation and Structure of Neristatin 1. J. Am. Chem. Soc. 113: 6693-6695, 1991.
129. Szallasi, Z. and Blumberg, P. M.: Prostratin, a non-promoting phorbol ester, inhibits induction by phorbol 12-myristate 13-acetate of ornithine decarboxylase, edema, and hyperplasia in CD-1 mouse skin. Cancer Res. 51: 5355-5360, 1991.
130. Blumberg, P. M.: Complexities of the protein kinase C pathway. Mol. Carcinog. 4: 339-344, 1991.
131. Szolcsanyi, J., Szallasi, A., Szallasi, Z., Joo, F. and Blumberg, P. M.: Resiniferatoxin - An ultrapotent neurotoxin of capsaicin-sensitive primary afferent neurons. Ann. N.Y. Acad. Sci. 632: 473-475, 1991.
132. Szallasi, A., Szolcsanyi, J., Szallasi, Z., and Blumberg, P. M.: Inhibition of [³H]resiniferatoxin binding to rat dorsal root ganglion membranes as a novel approach in evaluating compounds with capsaicin-like activity. Naunyn Schmiedeberg's Arch. Pharmacol. 344: 551-556, 1991.
133. Hasler, C. M., Acs, G., and Blumberg, P. M.: Specific binding to protein kinase C by ingenol and its

induction of biological responses. *Cancer Res.* 52: 202-208, 1992.

134. Teng, K., Marquez, V. E., Milne, G. W. A., Barchi, J. J., Kazanietz, M. G., Lewin, N. E., Blumberg, P. M., and Abushanab, E.: Conformationally constrained analogues of diacylglycerol. Interaction of (-lactones with the phorbol ester receptor of protein kinase C. *J. Am. Chem. Soc.* 114: 1059-1070, 1992.
135. Szallasi, A. and Blumberg, P. M.: Resiniferatoxin. In: Conn, P. M. (Ed.), *Methods in Neurosciences*, Vol. 8, Neurotoxins Academic Press, Orlando, FL., 1992, pp. 368-380.
136. Lewin, N. E., Dell'Aquila, M. L., Pettit, G. R., Blumberg, P. M. and Warren, B. S.: Binding of [³H]-Bryostatin 4 to protein kinase C. *Biochem. Pharmacol.* 43: 2007-2014, 1992.
137. Gustafson, K. R., Cardellina II, J. H., McMahon, J. B., Gulakowski, R. T., Ishitoya, J. I., Szallasi, Z., Lewin, N. E., Blumberg, P. M., Weislow, O. S., Beutler, J. A., Cox, P. A., Buckheit, R. W., Cragg, G. M., Bader, J. P. and Boyd, M. R.: A nonpromoting phorbol from the Samoan medicinal plant *Homalanthus nutans* inhibits cell killing by HIV-1. *J. Med. Chem.* 35: 1978-1986, 1992.
138. Pettit, G. R., Sengupta, D., Blumberg, P. M., Lewin, N. E., Schmidt, J. M., and Kraft, A. S.: Structural modifications of bryostatin 2. *Anticancer Drug Design*. 7: 101-113, 1992.
139. Szallasi, A. and Blumberg, P. M.: Vanilloid receptor loss in rat sensory ganglia associated with long term desensitization to resiniferatoxin. *Neuroscience Letters* 140: 51-54, 1992.
140. Blumberg, P. M. and Pettit, G. R.: The bryostatins, a family of protein kinase C activators with therapeutic potential. In: *New Leads and Targets in Drug Research*, Alfred Benzon Symposium 33, Krogsgaard-Larsen, P., Christensen, S. B. and Kofod, H. (Eds.), Copenhagen, Munksgaard International Publishers, pp. 273-285, 1992.
141. Szallasi, A., Lewin, N. E. and Blumberg, P. M.: Identification of alpha₁-acid glycoprotein (orosomucoid) as a major vanilloid-binding protein in serum. *J. Pharm. Exp. Therap.* 262: 883-888, 1992.
142. Kazanietz, M. G., Krausz, K. and Blumberg, P. M.: Differential irreversible insertion of protein kinase C into phospholipid vesicles by phorbol esters and related activators. *J. Biol. Chem.* 267: 20878-20886, 1992.
143. Meini, S., Evangelista, S., Geppetti, P., Szallasi, A., Blumberg, P. M. and Manzini, S.: Pharmacological and neurochemical evidence for the activation of capsaicin-sensitive sensory nerves by lipoxin A₄ in guinea pig bronchus. *Am. Rev. Respir. Dis.* 146: 930-934, 1992.
144. Szallasi, Z., Krausz, K. and Blumberg, P. M.: Non-promoting 12-deoxyphorbol 13-esters as potent inhibitors of phorbol 12-myristate 13-acetate induced acute and chronic biological responses in CD-1 mouse skin. *Carcinogenesis* 13: 2161-2167, 1992.

145. Goodnight, J., Kazanietz, M. G., Blumberg, P. M., Mushinski, J. F. and Mischak, H.: The cDNA sequence, expression pattern and protein characteristics of mouse protein kinase C-. Gene 122: 305-311, 1992.
146. Ozawa, K., Szallasi, Z., Kazanietz, M. G., Blumberg, P. M., Mischak, H., Mushinski, J. F. and Beaven, M. A.: Ca⁺⁺-dependent and Ca⁺⁺-independent isoforms of protein kinase C mediate exocytosis in antigen-stimulated rat basophilic RBL-2H3 cells: reconstitution of secretory responses with Ca⁺⁺ and purified isoforms in washed permeabilized cells. J. Biol. Chem. 268: 1749-1756, 1993.
147. Ozawa, K., Yamada, K., Kazanietz, M. G., Blumberg, P. M. and Beaven, M. A.: Different isoforms of protein kinase C mediate feedback inhibition of phospholipase C and stimulatory signals for exocytosis in rat RBL-2H3 cells. J. Biol. Chem. 268: 2280-2283, 1993.
148. Szallasi, A. and Blumberg, P. M.: [³H]resiniferatoxin binding by the vanilloid receptor: species related differences, effect of temperature and sulfhydryl reagents. Naunyn Schmiedeberg's Arch. Pharmacol. 347: 84-91, 1993.
149. Mischak, H., Goodnight, J., Kolch, W., Martiny-Baron, G., Schaechtele, C., Kazanietz, M. G., Blumberg, P. M., Pierce, J. H. and Mushinski, J. F.: Overexpression of protein kinase C-* and -, in NIH 3T3 cells induces opposite effects of growth, morphology, anchorage dependence, and tumorigenicity. J. Biol. Chem. 268: 6090-6096, 1993.
150. Szallasi, A. and Blumberg, P. M.: Mechanisms and therapeutic potential of vanilloids (capsaicin-like molecules). Adv. Pharmacol. 24: 123-155, 1993.
151. Martiny-Baron, G., Kazanietz, M. G., Mischak, H., Blumberg, P. M., Kochs, G., Hug, H., Marre, D. and Schaechtele, C.: Selective inhibition of protein kinase C isoforms by the indolocarbazole Go 6976. J. Biol. Chem. 268: 9194-9197, 1993.
152. Szallasi, Z., Krsmanovic, L. and Blumberg, P. M.: Non-promoting 12-deoxyphorbol 13-esters inhibit phorbol 12-myristate 13-acetate induced tumor promotion in CD-1 mouse skin. Cancer Res. 53: 2507-2512, 1993.
153. Winkler, J. D., Hong, B.-C., Bahador, A., Kazanietz, M. G. and Blumberg, P. M.: Synthesis of ingenol analogs with affinity for protein kinase C. Biorg. Med. Chem. Lett. 3: 577-580, 1993.
154. Szallasi, A., Conte, B., Goso, C., Blumberg, P. M. and Manzini, S.: Characterization of a peripheral vanilloid (capsaicin) receptor in the urinary bladder of the rat. Life Sci. 52: PL221-226, 1993.
155. Lee, J., Marquez, V. E., Kazanietz, M. G., Lewin, N. E., Bahador, A. and Blumberg, P. M.: Conformationally constrained analogs of diacylglycerol (DAG). 3. Interaction of γ -alkyl-(γ -lactones with protein kinase C (PK-C). Biorg. Med. Chem. Lett. 3: 1101-1106, 1993.

156. Lee, J., Marquez, V. E., Lewin, N. E., Bahador, A., Kazanietz, M. G. and Blumberg, P. M.: Conformationally constrained analogs of diacylglycerol (DAG). 4. Interaction of γ -alkylidene-(γ -lactones with protein kinase C (PK-C). Biorg. Med. Chem. Lett. 3: 1107-1110, 1993.
157. Szallasi, A., Conte, B., Goso, C., Blumberg, P. M. and Manzini, S.: Vanilloid receptors in the urinary bladder: regional distribution, localization on sensory neurons, and species-related differences. Naunyn-Schmiedeberg's Arch. Pharmacol. 347: 624-629, 1993.
158. Lee, J., Marquez, V. E., Lewin, N. E. and Blumberg, P. M.: Synthesis of two rigid diacylglycerol analogs having a perhydro Furo[3,4-b] Furan bis-butyrolactone skeleton. 2. Tetrahedron Lett. 34: 4313-4316, 1993.
159. Lee, J., Marquez, V. E., Bahador, A., Kazanietz, M. G. and Blumberg, P. M.: Synthesis of two rigid diacylglycerol analogs having a perhydro Furo[3,2-b] Furan bis-butyrolactone skeleton. 3. Tetrahedron Lett. 34: 4317-4320, 1993.
160. Kazanietz, M. G., Areces, L. B., Bahador, A., Mischak, H., Goodnight, J., Mushinski, J. F. and Blumberg, P. M.: Characterization of ligand and substrate specificity for the calcium-dependent and calcium-independent PKC isozymes. Mol. Pharmacol. 44: 298-307, 1993.
161. Lee, J., Marquez, V. E., Blumberg, P. M., Krausz, K. W. and Kazanietz, M. G.: Conformationally constrained analogues of diacylglycerol (DAG). 2. Differential interaction of γ -lactones and (γ -lactones with protein kinase C (PK-C). Biorg. Med. Chem. 1: 119-123, 1993.
162. Szallasi, A., Lewin, N. E. and Blumberg, P. M.: Vanilloid (capsaicin) receptor in the rat: positive cooperativity of resiniferatoxin binding and its modulation by reduction and oxidation. J. Pharmacol. Exp. Ther. 266: 678-683, 1993.
163. Mischak, H., Pierce, J. H., Goodnight, J., Kazanietz, M. G., Blumberg, P. M. and Mushinski, J. F.: Phorbol ester-induced myeloid differentiation is mediated by protein kinase C- γ and - δ and not by protein kinase C- β II, - α , - β , and 0. J. Biol. Chem. 268: 20110-20115, 1993.
164. Blumberg, P. M., Szallasi, A. and Acs, G.: Resiniferatoxin-an ultrapotent capsaicin analog. In: Capsaicin in the study of pain, Wood, J. N. (Ed), Academic Press, New York, 1993, pp. 45-62.
165. Sharma, R., Marquez, V.E., Milne, G.W.A., Lewin, N. E. and Blumberg, P. M.: Conformationally constrained analogues of diacylglycerol. 5. 2,5-dideoxy-3-O-tetradecanoyl-D-galactonos-1,4-lactone: a superior homologue of 3-O-tetradecanoyl-2-deoxy-L-ribonolactone with PK-C binding affinity. Biorg. Med. Chem. Lett. 3: 1993-1998, 1993.
166. Szallasi, A., Goso, C., Blumberg, P. M. and Manzini, S.: Competitive inhibition by capsazepine of [3 H]resiniferatoxin binding to central (spinal cord, dorsal root ganglia) and peripheral (urinary bladder, airways) vanilloid (capsaicin) receptors in the rat. J. Pharmacol. Exp. Ther. 267: 728-733, 1993.

167. Goso, C., Evangelista, S., Tramontana, M., Manzini, S., Blumberg, P. M. and Szallasi, A.: Topical capsaicin administration protects against trinitrobenzene sulfuric acid (TNB)-induced colitis in the rat: characterization of the vanilloid (capsaicin) receptor involved. Eur. J. Pharmacol. 249: 185-190, 1993.
168. Szallasi, Z., Smith, C. B., Pettit, G. R. and Blumberg, P. M.: Differential regulation of protein kinase C isozymes by bryostatin 1 and phorbol 12-myristate 13-acetate in NIH 3T3 fibroblasts. J. Biol. Chem. 269: 2118-2124, 1994.
169. Marquez, V. E., Lee, J., Sharma, R., Teng, K., Wang, S., Lewin, N. E. and Blumberg, P. M.: Conformationally constrained analogues of diacylglycerol. 6. Changes in PK-C binding affinity for 3-O-Acyl-2-Deoxy-L-ribonolactones bearing different acyl chains. Bioorg. Med. Chem. Lett. 4: 355-360, 1994.
170. Lee, J., Marquez, V. E., Lewin, N. E. and Blumberg, P. M.: Conformationally constrained analogues of DAG. 7. Interaction of a medium-size γ -lactone with protein kinase C (PKC). Bioorg. Med. Chem. Lett. 4: 543-548, 1994.
171. Lee, J., Marquez, V. E., Lewin, N. E. and Blumberg, P. M.: Synthesis of two rigid diacyglycerol analogues having a 1,7-dioxaspiro[4.4]nonane bis-(γ -butyrolactone skeleton. 4. Synlett. 3:206-208, 1994.
172. Kazanietz, M. G., Bustelo, X. R., Barbacid, M., Kolch, W., Mischak, H., Wong, G., Bruns, J. D. and Blumberg, P. M.: Zinc finger domains and the phorbol ester pharmacophore: analysis of binding to a mutated form of PKC zeta, and the vav and c-raf protooncogene products. J. Biol. Chem. 269:11590-11594, 1994.
173. Acs, G., Palkovits, M. and Blumberg, P. M.: [3 H]resiniferatoxin binding by the human vanilloid (capsaicin) receptor. Mol. Brain Res. 23: 185-190, 1994.
174. Kozikowski, A. P., Ma, D., Du, L., Lewin, N. E. and Blumberg, P. M.: Synthesis of the benzofuran analogue of ILV, a new protein kinase C (PKC) activator. Bioorg. Med. Chem. Lett. 4:637-640, 1994.
175. Acs, G. and Blumberg, P. M.: Comparison of [3 H]resiniferatoxin binding to spinal cord and dorsal root ganglia of newborn and adult rats. Life Sci. 54: 1875-1882, 1994.
176. Wang, S., Milne, G. W. A., Nicklaus, M. C., Marquez, V. E., Lee, J. and Blumberg, P. M.: Protein kinase C. Modeling of the binding site and prediction of binding constants. J. Med. Chem. 37: 1326-1338, 1994.
177. Blumberg, P. M., Acs, G., Areces, L. B., Kazanietz, M. G., Lewin, N. E. and Szallasi, Z.: Protein kinase C in signal transduction and carcinogenesis. In: Spizer, H.L., Slaga, T. J., Greenlee, W.F. and McClain, M. (Eds), Receptor-mediated Biological Processes: Implications for Evaluating

Carcinogens. Wiley Liss, N.Y., pp. 3-19.

178. Acs, G. and Blumberg, P. M.: [³H]resiniferatoxin binding to pig dorsal horn membrane displays positive cooperativity. Life Sci. 55: 337-346, 1994.
179. Seynaeve, C. M., Kazanietz, M. G., Blumberg, P. M., Sausville, E. A. and Worland, P. J.: Differential inhibition of protein kinase C isozymes by UCN-01, a staurosporine analogue. Mol. Pharmacol. 45: 1207-1214, 1994.
180. Areces, L.B., Kazanietz, M.G. and Blumberg, P.M.: Close similarity of baculovirus expressed n-chimaerin and protein kinase C \forall as phorbol ester receptors. J. Biol. Chem. 269: 19553-19558, 1994.
181. Razin, E., Szallasi, Z., Kazanietz, M. G., Blumberg, P. M. and Rivera, J.: Protein Kinase C- \exists and γ link the mast cell high affinity receptor for IgE to the expression of C-fos and c-jun. Proc. Natl. Acad. Sci. USA. 91: 7722-7726, 1994.
182. Acs, G., Palkovits, M. and Blumberg, P.M. Comparison of [³H]resiniferatoxin binding by the vanilloid (capsaicin) receptor in dorsal root ganglia, spinal cord, dorsal vagal complex, sciatic and vagal nerve and urinary bladder of the rat. Life Sci 55: 1017-1026, 1994.
183. Kazanietz, M. G., Lewin, N. E., Gao, F., Pettit, G. R. and Blumberg, P. M.: Binding of [26-³H]bryostatin 1 and analogs to calcium-dependent and calcium-independent PKC isozymes. Mol. Pharmacol. 46: 374-379, 1994.
184. Lee, J., Sharma, R., Teng, K., Lewin, N.E., Blumberg, P.M. and Marquez, V.E.: Conformationally constrained analogues of DAG. 8. Changes in PK-C binding affinity produced by isosteric groups of the 3-O-acyl function in 2-deoxy-L-ribonolactones. Bioorg. Med. Chem. Lett. 4: 1369-1374, 1994.
185. Germano, P., Gomez, J., Kazanietz, M.G., Blumberg, P.M. and Rivera, J.: Phosphorylation of the (chain of the high affinity receptor for immunoglobulin E by receptor-associated protein kinase C-* \circ . J. Biol. Chem. 269: 23102-23107, 1994.
186. Szallasi, Z., Smith, C.B. and Blumberg, P.M.: Dissociation of phorbol esters leads to immediate redistribution to the cytosol of protein kinase C \forall and * in mouse keratinocytes. J. Biol. Chem. 269: 27159-27162, 1994.
187. Lee, J., Lewin, N.E., Blumberg, P.M. and Marquez, V.E.: Conformationally constrained analogues of diacylglycerol. 9. The effect of side-chain orientation on the protein kinase C (PK-C) binding affinity of *-lactones. Bioorg. Med. Chem. Lett. 4:2405-2410, 1994.
188. Szallasi, Z., Denning, M. F., Smith, C. B., Dlugosz, A. A., Yuspa, S. H., Pettit, G. R. and Blumberg, P. M.: Bryostatin 1 protects PKC delta from down-regulation in mouse keratinocytes in parallel with its inhibition of phorbol ester induced differentiation. Mol. Pharmacol. 46:840-850, 1994.

189. Szallasi, A., Blumberg, P.M., Nilsson, S., Hökfelt, T., and Lundberg, J.M. Visualization by [³H]resiniferatoxin autoradiography of capsaicin-sensitive neurons in the rat, pig, and man. *Eur. J. Pharmacol.* 264: 217-221, 1994.
190. Wang, S., Zaharevitz, D.W., Sharma, R., Marquez, V.E., Lewin, N.E., Du, L., Blumberg, P.M., and Milne, G.W.A. The discovery of novel, structurally diverse PK-C agonists through 3D-database pharmacophore search. Molecular modeling studies. *J. Med. Chem.* 37: 4479-4489, 1994.
191. Denning, M.F., Dlugosz, A.A., Williams, E.K., Szallasi, Z., Blumberg, P.M. and Yuspa, S.H. Specific protein kinase C isozymes mediate the induction of keratinocyte differentiation markers by calcium. *Cell Growth and Differentiation* 6:149-157, 1995.
192. Szallasi, Z., Kosa, K., Smith, C.B., Dlugosz, A.A., Williams, E.K., Yuspa, S.H. and Blumberg, P.M. Differential regulation by the anti-promoting 12-deoxyphorbol 13-phenylacetate reveals distinct roles of the classical and novel protein kinase C isozymes in biological responses of primary mouse keratinocytes. *Mol. Pharmacol.* 47: 258-265, 1995.
193. Winkler, J.D., Hong, B.-C., Bahador, A., Kazanietz, M.G. and Blumberg, P.M. Methodology for the synthesis of 3-oxygenated ingenanes -- the first ingenol analogs with high affinity for protein kinase C. *J. Org. Chem.* 60:1381-1390, 1995.
194. Szallasi, A., Blumberg, P.M. and Lundberg, J.M. Proton inhibition of [³H]resiniferatoxin binding to vanilloid (capsaicin) receptors in rat spinal cord. *Eur. J. Pharmacol.* 289: 181-187, 1995.
195. Kazanietz, M.G., Lewin, N.E., Bruns, J.D. and Blumberg, P.M. Characterization of the cysteine-rich region of the *Caenorhabditis elegans* protein unc-13 as a high affinity phorbol ester receptor: analysis of ligand-binding interactions, lipid cofactor requirements, and inhibitor-sensitivity. *J. Biol. Chem.* 270: 10777-10783, 1995.
196. Lee, J., Acs, G., Blumberg, P.M. and Marquez, V.E. Thiourea analogues of resiniferatoxin as ligands for the vanilloid receptor. *Bioorg. Med. Chem. Lett.* 5: 1331-1334, 1995.
197. Kazanietz, M.G., Barchi, J.J. Jr., Omichinski, J.G. and Blumberg, P.M. Low affinity binding of phorbol esters to protein kinase C and its recombinant cysteine-rich region in the absence of phospholipids. *J. Biol. Chem.* 270: 14679-14684, 1995.
198. Zhang, G., Kazanietz, M.G., Blumberg, P.M. and Hurley, J.H. Crystal structure of the cys2 activator-binding domain of protein kinase C* in complex with phorbol ester. *Cell* 81:917-924, 1995.
199. Blumberg, P.M., Acs, G., Acs, P., Areces, L.B., Kazanietz, M.G., Lewin, N.E. and Szallasi, Z. Protein kinase C in cell signaling: strategies for the development of selective inhibitors. N. S. Doherty (Ed.), *Inflammation: mechanisms and therapeutics*. Birkhauser Verlag, Basel, 1995, pp. 87-100.

200. Acs, G., Lee, J., Marquez, V.E., Wang, S., Milne, G.W.A., Du, L., Lewin, N.E. and Blumberg, P.M. Resiniferatoxin-amide and analogs as ligands for protein kinase C and vanilloid receptors and determination of their biological activities as vanilloids. J. Neurochem. 65: 301-398, 1995.
201. Kozikowski, A.P., Ma, D.W., Du, L., Lewin, N.E. and Blumberg, P.M. Effect of alteration of the heterocyclic nucleus of ILV on its isoform selectivity for PKC. Palladium catalyzed route to benzofuran analogs of ILV. J. Am. Chem. Soc. 117: 6666-6672, 1995.
202. Lehel, C., Olah, Z., Jakab, G., Szallasi, Z., Petrovics, G., Blumberg, P.M. and Anderson, W.B. Protein kinase C , subcellular localization domains and proteolytic degradation sites. A model for protein kinase C conformational changes. J. Biol. Chem. 270: 19651-19658, 1995.
203. Winkler, J.D., Hong, B.-C., Kim, S., Lewin, N.E. and Blumberg, P.M. On the protein kinase C pharmacophore: synthesis and biological activity of 4-hydroxylated analogs of ingenol. Synlett, 533-535, 1995.
204. Kazanietz, M.G., Wang, S., Milne, G.W.A., Lewin, N.E., Liu, H.L., and Blumberg, P.M. Residues in the second cysteine-rich region of PKC * relevant to phorbol ester binding as revealed by site-directed mutagenesis. J. Biol. Chem. 270:21852-21859, 1995.
205. Szallasi, Z., Denning, M.F., Chang, E.-Y., Rivera, J., Yuspa, S.H., Lehel, C., Olah, Z., Anderson, W.B., and Blumberg, P.M. Development of a rapid approach to identification of tyrosine phosphorylation sites: application to PKC* phosphorylated upon activation of the high affinity receptor for IgE in rat basophilic leukemia cells. Biochem. Biophys. Res. Comm. 214: 888-894, 1995.
206. Smith, H., Chang, E.-Y., Szallasi, Z., Blumberg, P.M., and Rivera, J. Tyrosine phosphorylation of protein kinase C-* in response to the activation of the high affinity receptor for immunoglobulin E modifies its substrate recognition. Proc. Natl. Acad. Sci. U.S.A. 92: 9112-9116, 1995.
207. Acs, G., Palkovits, M. and Blumberg, P.M. Trifluoperazine modulates [³H]resiniferatoxin binding by human and rat vanilloid (capsaicin) receptors and affects ⁴⁵Ca uptake by adult rat dorsal root ganglion neurones. J. Pharmacol. Exp. Therap. 274: 1090-1098, 1995.
208. Acs, P., Szallasi, Z., Kazanietz, M.G. and Blumberg, P.M. Differential activation of PKC isozymes by 14-3-3 . protein. Biochem. Biophys. Res. Commun. 216: 103-109, 1995.
209. Scala, S., Dickstein, B., Szallasi, Z., Blumberg, P.M. and Bates, S.E. Bryostatin 1 affects P-glycoprotein phosphorylation but not function in multidrug resistant human breast cancer cells. Clinical Cancer Res. 1: 1581-1587, 1995.
210. Kazanietz, M.G. and Blumberg, P.M. Protein kinase C and signal transduction in normal and neoplastic cells. In Cellular and Molecular Pathogenesis, A.E. Sirica, ed., Raven Press, N.Y., 1996, pp. 389-402.

211. Szallasi, A., Nilsson, S., Farkas-Szallasi, T., Hökfelt, T., Blumberg, P.M., and Lundberg, J.M. Vanilloid (capsaicin) receptors in the rat: distribution in the brain, regional differences in the spinal cord, axonal transport to the periphery, and depletion by systemic vanilloid treatment. *Brain Res.* 703:175-183, 1995.
212. Acs, G., Lee, J., Marquez, V.E. and Blumberg, P.M. Distinct structure-activity relations for stimulation of ^{45}Ca uptake and for high affinity binding by cultured rat dorsal root ganglion neurons and dorsal root ganglion membranes. *Mol. Brain Res.* 35: 173-182, 1996.
213. Sharma, R., Lee, J., Wang, S., Milne, G.W.A., Lewin, N.E., Blumberg, P.M. and Marquez, V.E. Conformationally constrained analogues of diacylglycerol. 10. Ultrapotent protein kinase C (PK-C) ligands based on a racemic 5-disubstituted tetrahydro-2-furanone template. *J. Med Chem.* 39: 19-28, 1996.
214. Lee, J., Wang, S., Milne, G.W.A., Sharma, R., Lewin, N.E., Blumberg, P.M. and Marquez, V.E. Conformationally constrained analogues of diacylglycerol. 11. Ultrapotent protein kinase C (PK-C) ligands based on a chiral 5-disubstituted tetrahydro-2-furanone template. *J. Med. Chem.* 39: 29-35, 1996.
215. Lee, J., Sharma, R., Wang, S., Milne, G.W.A., Lewin, N.E., Szallasi, Z., Blumberg, P.M., George, C. and Marquez, V.E. Conformationally constrained analogues of diacylglycerol. 12. Ultrapotent protein kinase C (PK-C) ligands based on a chiral 4-disubstituted hepteno-1,4-lactone template. *J. Med. Chem.* 39: 36-45, 1996.
216. Denning, M.F., Kazanietz, M.G., Blumberg, P.M. and Yuspa, S.H. Cholesterol sulfate activates multiple protein kinase C isoforms and induces granular cell differentiation in cultured murine keratinocytes. *Cell Growth Diff.* 6: 1619-1626, 1995.
217. Szallasi, A., Nilsson, S., Blumberg, P.M., Hökfelt, T. and Lundberg, J.M. Binding of neuroleptic drugs (trifluoperazine and rimcazole) to vanilloid receptors in porcine dorsal horn. *Eur. J. Pharmacol.* 298: 321-327, 1996.
218. Szallasi, A., Acs, G., Cravotto, G., Blumberg, P.M. and Appendino, G. A novel agonist, phorbol 12-phenylacetate 13-acetate 20-homovanillate, abolishes positive cooperativity of binding by the vanilloid (capsaicin) receptor. *Eur. J. Pharmacol.* 299: 221-228, 1996.
219. Kazanietz, M.G., and Blumberg, P.M. The phorbol ester binding site in protein kinase C: a comprehensive biochemical and structural analysis using the GST-expression system. *Science Tools* 1: 3-5, 1996.
220. Szallasi, Z., Du, L., Levine, R., Lewin, N.E., Nguyen, P.N., Williams, M.D., Pettit, G.R. and Blumberg, P.M. The bryostatins inhibit growth of B16/F10 melanoma cells in vitro through a protein kinase C-independent mechanism: dissociation of activities using 26-epi-bryostatin 1. *Cancer Res.* 56: 2105-2111, 1996.

221. Pettit, G.R., Gao, F., Blumberg, P.M., Herald, C.L., Coll, J.C., Kamano, Y., Lewin, N.E., Schmidt, J.M. and Chapuis, J.-C. Antineoplastic agents 340. Isolation and structural elucidation of bryostatins 16-18. J. Nat. Prod. 59: 286-289, 1996.
222. Wang, S., Kazanietz, M.G., Blumberg, P.M., Marquez, V.E. and Milne, G.W.A. Molecular modeling and site-directed mutagenesis studies of the phorbol ester binding site in protein kinase C. J. Med. Chem. 39: 2541-2553, 1996.
223. Szallasi, Z., Bogi, K., Gohari, S., Biro, T., Acs, P. and Blumberg, P.M. Non-equivalent roles for the first and second zinc-fingers of protein kinase C*: effect of their mutation on phorbol ester induced translocation in NIH 3T3 cells. J. Biol. Chem. 271: 18299-18301, 1996
224. Farkas-Szallasi, T., Bennett, G.J., Blumberg, P.M., Hökfelt, T., Lundberg, J.M. and Szallasi, A. Vanilloid receptor loss is independent of the messenger plasticity that follows systemic resiniferatoxin administration. Brain Res. 719: 213-218, 1996.
225. Jideama, N.M., Noland, T.A., Jr., Raynor, R.L., Blobel, G.C., Fabbro, D., Kazanietz, M.G., Blumberg, P.M., Hannun, Y.A. and Kuo, J.F. Phosphorylation specificities of protein kinase C isozymes for bovine cardiac troponin 1 and troponin T and sites within these proteins and regulation of myofilament properties. J. Biol. Chem. 271:23277-23283, 1996.
226. Szallasi, A., Jonassohn, M., Acs, G., Biro, T., Acs, P., Blumberg, P.M. and Stern, O. The stimulation of capsaicin-sensitive neurons in a vanilloid receptor mediated fashion by pungent terpenoids possessing an unsaturated 1,4-dialdehyde moiety. Br. J. Pharmacol. 119: 283-290, 1996.
227. Acs, G., Palkovits, M. and Blumberg, P.M. Specific binding of [³H]resiniferatoxin by human and rat preoptic area, locus ceruleus, medial hypothalamus, reticular formation, and ventral thalamus membrane preparations. Life Sci. 59: 1899-1908, 1996.
228. Lee, J., Lewin, N.E., Blumberg, P.M. and Marquez, V.E. Synthesis of Bis(-butyrolactones containing conformationally constrained (S)- and (R)-diacylglycerol structures. Bioorg. Med. Chem. 4: 1299-1305, 1996.
229. Lee, J., Lewin, N.E., Acs, P., Blumberg, P.M. and Marquez, V.E. Conformationally constrained analogues of diacylglycerol. 13. Protein kinase C ligands based on templates derived from 2,3-dideoxy-L-erthyo(threo)-hexono-1,4-lactone and 2-deoxyapiolactone. J. Med. Chem. 39: 4912-4919, 1996.
230. Noland, T.A., Jr., Raynor, R.L., Jideama, N.M., Guo, Z., Kazanietz, M.G., Blumberg, P.M., Solaro, R.J. and Kuo, J.F. Differential regulation of cardiac actomyosin S-1 MgATPase by protein kinase C isozyme-specific phosphorylation of specific sites in cardiac troponin 1 and its phosphorylation site mutants. Biochemistry 35: 14923-14931, 1996.
231. Wang, Q.J., Acs, P., Goodnight, J., Giese, T., Blumberg, P.M., Mischak, H. and Mushinski, J.F.

The catalytic domains of protein kinase C-* in reciprocal * and , chimeras mediates phorbol ester-induced macrophage differentiation of mouse promyelocytes. J. Biol. Chem. 272: 76-82, 1997.

232. Szallasi, A. and Blumberg, P.M. Vanilloid receptors: new insights enhance potential as a therapeutic target, Pain 68: 195-208, 1996.
233. Hurley, J.H., Newton, A.C., Parker, P.J., Blumberg, P.M. and Nishizuka, Y. Taxonomy and function of C1 protein kinase C homology domains. Protein Science 6: 477-480, 1997.
234. Kozikowski, A.P., Wang, S., Ma, D., Yao, J., Ahmad, S., Glazer, R.I., Bogi, K., Acs, P., Modarres, S., Lewin, N.E. and Blumberg, P.M. Modeling, chemistry, and biology of the benzolactam analogues of ILV.2. Identification of the binding site of the benzolactams in the CRD2 activator-binding domain of PKC* and discovery of an ILV analogue of improved isozyme selectivity. J. Med. Chem. 40: 1316-1326, 1997.
235. Rosson, D., O'Brien, T.G., Kampherstein, J.A., Szallasi, Z., Bogi, K., Blumberg, P.M. and Mullin, J.A. PKC \forall activity modulates transepithelial permeability and cell junctions in the LLC-PK₁ epithelial cell line. J. Biol. Chem. 272: 14950-14953 (1997).
236. Acs, G., Biro, T., Acs, P., Modarres, S. and Blumberg, P.M. Differential activation and desensitization of sensory neurons by resiniferatoxin. J. Neuroscience 17: 5622-5628, 1997.
237. Biro, T., Acs, G., Acs, P., Modarres, S. and Blumberg, P.M. Recent advances in understanding of vanilloid receptors: a therapeutic target for treatment of pain and inflammation in skin. J. Invest. Dermatol. Symp. Proc. 2: 56-60, 1997.
238. Acs, P., Bogi, K., Lorenzo, P., Marquez, A., Biro, T., Szallasi, Z. and Blumberg, P.M. The catalytic domain of protein kinase C chimeras modulates the affinity and targeting of phorbol ester-induced translocation. J. Biol. Chem. 272: 22148-22153, 1997.
239. Chang, E.-Y., Szallasi, Z., Acs, P., Raizada, V., Wolfe, P.C., Fewtrell, C., Blumberg, P.M. and Rivera, J. Functional effects of overexpression of the protein kinase C isozymes \forall , \exists , *, ,, and 0 in the mast cell line RBL-2H3. J. Immunol. 159: 2624-2632, 1997.
240. Caloca, M.J., Fernandez, M.N., Lewin, N.E., Ching, D., Modali, R., Blumberg, P.M. and Kazanietz, M.G. \exists 2-chimaerin is a high affinity receptor for the phorbol ester tumor promoters. Analysis of phorbol ester binding and subcellular distribution after phorbol ester treatment. J. Biol. Chem. 272:26488-26496, 1997.
241. Acs, P., Wang, Q.J., Bogi, K., Marquez, A.M., Lorenzo, P.S., Biro, T., Szallasi, Z., Mushinski, J.F. and Blumberg, P.M. Both the catalytic and the regulatory domains of protein kinase C chimeras modulate the proliferation properties of NIH 3T3 cells J. Biol. Chem. 272: 28793-28799, 1997.
242. Lee, J., Kim, S.H., Chun, M.W., Blumberg, P.M., Lewin, N.E. and Marquez, V.E. Conformationally

- constrained analogues of diacylglycerol: protein kinase C (PK-C) ligands based on a 5-disubstituted tetrahydro-2-furanone template having an (R)-hydroxyethyl group. *Carbohydrate Letters* 2: 307-312, 1997.
243. Lorenzo, P.S., Bogi, K., Acs, P., Pettit, G.R. and Blumberg, P.M. The catalytic domain of PKC* confers protection from down regulation induced by bryostatin 1. *J. Biol. Chem.* 272: 33338-33343, 1997.
244. Appel, E., Kolman, O., Kazimirsky, G., Blumberg, P.M. and Brodie, C. Regulation of GDNF expression in cultured astrocytes by inflammatory stimuli. *Neuroreport* 8: 3309-3312, 1997.
245. Wang, Q.J., Acs, P., Goodnight, J., Blumberg, P.M., Mischak, H. and Mushinski, J.F. The catalytic domain of PKC-, in reciprocal PKC-* and -, chimeras, is responsible for conferring tumorigenicity upon NIH 3T3 cells, while both regulatory and catalytic domains of PKC-, contribute to in vitro transformation. *Oncogene* 16: 53-60, 1998.
246. Biro, T., Maurer, M., Modarres, S., Lewin, N.E., Brodie, C., Acs, G., Acs, P., Paus, R. and Blumberg, P.M. Characterization of functional vanilloid receptors expressed by mast cells. *Blood* 91: 1332-1340, 1998.
247. Gubina, E., Rinaudo, M.S., Szallasi, Z., Blumberg, P.M. and Mufson, R.A. Overexpression of protein kinase C isoform , but not * in human interleukin-3- dependent cells suppresses apoptosis and induces Bcl-2 expression. *Blood* 91: 823-829, 1998.
248. Bogi, K., Lorenzo, P.S., Szallasi, Z., Acs, P., Wagner, G.S. and Blumberg, P.M. Differential selectivity of ligands for the C1a and C1b phorbol ester binding domains of protein kinase C delta: possible correlation with tumor promoting activity. *Cancer Res.* 58: 1423-1428, 1998.
249. Lee, J., Lewin, N.E., Blumberg, P.M. and Marquez, V.E. Conformationally constrained analogues of diacylglycerol having a perhydrofuro[3,4-c]furan-1,4-dione bis(-butyrolactone skeleton. *Arch. Pharm. Res.* 21: 164-167, 1998.
250. Brodie, C., Blumberg, P.M. and Jacobson, K.A. Activation of the A_{2A} adenosine receptor inhibits nitric oxide production in glial cells. *FEBS Letters* 429: 139-142, 1998.
251. Qiao, L., Wang, S., George, C., Lewin, N.E., Blumberg, P.M. and Kozikowski, A.P. Structure-based design of a new class of protein kinase C modulators. *J. Am. Chem. Soc.* 120: 6629-6630, 1998.
252. Marquez, V.E., Sharma, R., Wang, S., Lewin, N.E., Blumberg, P.M., Kim, I.S. and Lee, J. Conformationally constrained analogues of diacylglycerol (DAG). 14. Dissection of the roles of the sn-1 and sn-2 carbonyls in DAG mimetics by isopharmacophore replacement. *Bioorg. Med. Chem. Letters* 8: 1757-1762, 1998.
253. Song, J.S., Swann, P.G., Szallasi, Z., Blank, U., Blumberg, P.M. and Rivera, J. Tyrosine

phosphorylation-dependent and -independent associations of protein kinase C-* with Src family kinases in the RBL-2H3 mast cell line: cross-talk in the regulation of Src family kinase activity. *Oncogene* 16: 3357-3368, 1998.

254. Biro, T., Brodie, C., Modarres, S., Lewin, N.E., Acs, P. and Blumberg, P.M. Specific vanilloid responses in C6 rat glioma cells. *Mol. Brain Res.* 56: 89-98, 1998.
255. Brodie, C., Kuperstein, I., Acs, P. and Blumberg, P.M. Differential role of specific PKC isoforms in the proliferation of glial cells and the expression of the astrocytic markers GFAP and glutamine synthetase. *Mol. Brain Res.* 56: 108-117, 1998.
256. Szallasi, A., Biro, T., Modarres, S., Garlaschelli, L., Petersen, M., Klusch, A., Vidari, G., Jonassohn, M., De Rosa, S., Sterner, O., Blumberg, P.M. and Krause, J.E. Dialdehyde sesquiterpenes and other terpenoids as vanilloids. *Europ. J. Pharmacol.* 356: 81-89, 1998.
257. Brodie, C., Bogi, K., Acs, P., Lorenzo, P.S., Baskin, L. and Blumberg, P.M. The inhibitory effect of PKC* on glutamine synthetase expression in glial cells is mediated by the regulatory domain of PKC* and its tyrosine phosphorylation. *J. Biol. Chem.* 273: 30713-30718, 1998.
258. Benzaria, S., Bienfait, B., Nacro, K., Wang, S., Lewin, N.E., Beheshti, M., Blumberg, P.M. and Marquez, V.E. Conformationally constrained analogues of diacylglycerol (DAG). 15. The indispensable role of the *sn*-1 and *sn*-2 carbonyls in the binding of DAG-lactones to protein kinase C (PK-C). *Bioorg. Med. Chem. Lett.* 8: 3403-3408, 1998.
259. Brodie, C., Bogi, K., Acs, P., Lazarovici, P., Petrovics, G., Anderson, W.B. and Blumberg, P.M. Protein kinase C-, plays a role in neurite outgrowth in response to epidermal growth factor and nerve growth factor in PC12 cells. *Cell Growth Diff.* 10: 183-191, 1999.
260. Szallasi, A., Biro, T., Szabo, T., Modarres, S., Petersen, M., Klusch, A., Blumberg, P.M., Krause, J.E. and Sterner, O. A non-pungent triphenyl phenol of fungal origin, scutigeral, stimulates rat dorsal root ganglion neurons via interaction at vanilloid receptors. *Br. J. Pharmacol.* 126: 1351-1358, 1999.
261. Romanova, L.Y., Alexandrov, I.A., Blagosklonny, M.V., Nordan, R.P., Garfield, S., Acs, P., Nguyen, P.M., Trepel, J., Blumberg, P.M. and Mushinski, J.F. Regulation of actin cytoskeleton in lymphocytes: PKC-delta disrupts IL-3-induced membrane ruffles downstream of Rac1. *J. Cell. Physiol.* 179: 157-169, 1999.
262. Szallasi, A. and Blumberg, P.M. Vanilloid (capsaicin) receptors and mechanisms. *Pharmacol. Rev.* 51: 159 -212, 1999.
263. Marquez, V.E., Nacro, K., Benzaria, S., Lee, J., Sharma, R., Teng, K., Milne, G.W.A., Bienfait, B., Wang, S., Lewin, N.E. and Blumberg, P.M. The transition from a pharmacophore-guided approach to a receptor-guided approach in the design of potent protein kinase C ligands. *Pharmac. Therap.* 82: 251-261, 1999.

264. Ma, D.W., Wang, C.Q., Wang, S.M., Kozikowski, A.P., Lewin, N.E., and Blumberg, P.M. Synthesis and protein kinase C binding activity of benzolactam-V7. *Bioorg. Med. Chem. Lett.* 9: 1371-1374, 1999.
265. Bögi, K., Lorenzo, P.S., Ács, P., Szállási, Z., Wagner, G.S., and Blumberg, P.M. Comparison of the roles of the C1a and C1b domains of protein kinase C alpha in ligand induced translocation in NIH 3T3 cells. *FEBS Lett.* 456, 27-30, 1999.
266. Szallasi, A., Blumberg, P.M., Annicelli, L.L., Krause, J.E., and Cortright, D.N. The cloned rat vanilloid receptor VR1 mediates both R-type binding and C-type calcium response in dorsal root ganglion neurons. *Mol. Pharmacol.* 56: 581-587, 1999.
267. Swann, P.G., Odom, S., Zhou, Y.J., Szallasi, Z., Blumberg, P.M., Draber, P. and Rivera, J. Requirement for a negative charge at threonine 60 of the FcR(for complete activation of Syk. *J. Biol. Chem.* 274: 23068-23077, 1999.
268. Wang, S., Liu, M., Lewin, N.E., Lorenzo, P.S., Bhattacharyya, D., Qiao, L., Kozikowski, A.P., Milne, G.W.A. and Blumberg, P.M. Probing the binding of indolactam-V to protein kinase C through site-directed mutagenesis and computational docking simulations. *J. Med. Chem.* 42: 3436-3446, 1999.
269. Szabo, T., Olah, Z., Iadarola, M.J. and Blumberg, P.M. Epidural resiniferatoxin induced prolonged regional analgesia to pain. *Brain Res.* 840: 92-98, 1999.
270. Szallasi, A., Szabo, T., Biro, T., Modarres, S., Blumberg, P.M., Krause, J.E., Cortright, D.N. and Appendino, G. Phorbol 12,13-didecanoate 20-homovanillate, a resiniferatoxin-type vanilloid, shows capsaicin-like selectivity for calcium uptake over binding at native vanilloid receptors on rat dorsal root ganglion neurons and in CHO cells transfected with the cloned vanilloid receptor VR1. *Br. J. Pharmacol.* 128: 428-434, 1999.
271. Lee, J., Kang, J.H., Lee, S.Y., Han, K.C., Torres, C.M., Bhattacharyya, D.K., Blumberg, P.M. and Marquez, V.E. Protein kinase C ligands based on tetrahydrofuran templates containing a new set of phorbol ester pharmacophores. *J. Med. Chem.* 42: 4129-4139, 1999.
272. Caloca, M.J., Garcia-Bermejo, M.L., Blumberg, P.M., Lewin, N.E., Kremmer, E., Mishak, H., Wang, S., Nacro, K., Bienfait, B., Marquez, V.E. and Kazanietz, M.G. \exists 2-chimaerin is a novel target for diacylglycerol: binding properties and changes in subcellular localization mediated by ligand binding to its C1 domain. *Proc. Natl. Acad. Sci. USA* 96: 11854-11859, 1999.
273. Winkler, J.D., Kim, S., Harrison, S., Lewin, N.E. and Blumberg, P.M. Synthesis and biological evaluation of highly functionalized analogs of ingenol. *J. Am. Chem. Soc.* 121: 296-300, 1999.
274. Lee, J., Park, S.W., Kim, J.Y., Kim, J.K., Lee, J., Oh,U., Marquez, V.E., Beheshti, M., Wang, Q.J., Modarres, S., and Blumberg, P.M. 3-Acyloxy-2-phenalkylpropyl amides and esters of homovanillic acid as novel vanilloid receptor agonists. *Bioorg. Med. Chem. Letters.* 9: 2909-2914, 1999.

275. Li, L., Lorenzo, P.S., Bogi, K., Blumberg, P.M., and Yuspa, S.H. PKC* targets mitochondria, alters mitochondrial membrane potential and induces apoptosis in normal and neoplastic keratinocytes when overexpressed by an adenoviral vector. Mol. Cell Biol. 19: 8547-8558, 1999.
276. Wang, Q.J., Bhattacharyya, D.K., Garfield, S., Marquez, V.E. and Blumberg, P.M. Differential localization of protein kinase C * by phorbol esters and related compounds using a fusion protein with green fluorescent protein. J. Biol. Chem. 274: 37233-37239, 1999.
277. Lorenzo, P.S., Bogi, K., Hughes, K.M., Beheshti, M., Garfield, S.H., Pettit, G.R. and Blumberg, P.M. Differential roles of the tandem C1 domains of PKC* in the biphasic down-regulation induced by bryostatin 1. Cancer Res. 59: 6137-6144, 1999.
278. Nacro, K., Bienfait, B., Lee, J., Han, K.C., Kang, J.H., Benzaria, S., Lewin, N.E., Bhattacharyya, D.K., Blumberg, P.M. and Marquez, V.E. Conformationally constrained analogues of diacylglycerol (DAG). 16. How much structural complexity is necessary for recognition and high binding affinity to protein kinase C? J. Med. Chem. 43: 921-944, 2000.
279. Blumberg, P.M., Acs, P., Bhattacharyya, D.K., and Lorenzo, P.S. Inhibitors of protein kinase C and related receptors for the lipophilic second messenger sn-1,2-diacylglycerol. In: Signal Transduction and Cell Cycle Inhibitors, ed. J.S. Gutkind, Humana Press, Totowa, N.J., 2000, pp. 347-364.
280. Nacro, K., Bienfait, B., Lewin, N.E., Blumberg, P.M., and Marquez, V.E. Diacylglycerols with lipophilically equivalent branched acyl chains display high affinity for protein kinase C (PK-C). A direct measure of the effect of constraining the glycerol backbone in DAG lactones. Bioorg. Med. Chem. Lett. 10: 653-655, 2000.
281. Mezey, E., Toth, Z.E., Cortright, D.N., Arzubi, M.K., Krause, J.E., Elde, R., Guo, A., Blumberg, P.M., and Szallasi, A. Distribution of mRNA for vanilloid receptor subtype 1 (VR1), and VR1-like immunoreactivity, in the central nervous system of the rat and man. Proc. Natl. Acad. Sci. U.S.A. 97: 3655-3660, 2000.
282. Wang, Q.J., Fang, T.W., Fenick, D., Garfield, S., Bienfait, B., Marquez, V.E., and Blumberg, P.M. The lipophilicity of phorbol esters as a critical factor in determining the pattern of translocation of protein kinase C * fused to a green fluorescent protein. J. Biol. Chem. 275: 12136-12146, 2000.
283. Lorenzo, P.S., Beheshti, M., Pettit, G.R., Stone, J.C., and Blumberg, P.M. The guanine nucleotide exchange factor RasGRP is a novel, high affinity target for diacylglycerol and phorbol esters. Mol. Pharmacol. 57: 840-846, 2000.
284. Acs, P., Beheshti, M., Szallasi, Z., Li, L., Yuspa, S.H., and Blumberg, P.M. Effect of tyrosine 155 to phenylalanine mutation of protein kinase C* on the proliferative and tumorigenic properties of NIH 3T3 cells. Carcinogenesis 21: 887-891, 2000.

285. Ebinu, J.O., Stang, S.L., Teixeira, C., Bottorff, D.A., Blumberg, P.M., Barry, M., Bleakley, C., Ostergaard, H.L., and Stone, J.C. RasGRP links T cell receptor signaling to Ras. Blood 95: 3199-3203, 2000.
286. Tamamura, H., Bienfait, B., Nacro, K., Lewin, N.E., Blumberg, P.M., and Marquez, V.E. Conformationally constrained analogues of diacylglycerol (DAG). 17. The contrast between *sn*-1 and *sn*-2 DAG lactones in binding to protein kinase C (PK-C). J. Med. Chem. 43: 3210-3217, 2000.
287. Kronfeld, I., Kazimirsky, G., Lorenzo, P.S., Garfield, S.H., Blumberg, P.M., and Brodie, C. (1999) Phosphorylation of PKC* on distinct tyrosine residues regulates different cellular responses. J. Biol. Chem. 275 (45): 35491-35498, 2000.
288. Lee, J., Lee, J., Kim, J., Kim, S.Y., Chun, M.W., Cho, H., Hwang, S.W., Oh, U., Park, Y.H., Marquez, V.E., Beheshti, M., Szabo, T., and Blumberg, P.M. N-(3-Acyloxy-2-benzylpropyl)-N'-(4-hydroxy-3-methoxybenzyl)thiourea derivatives as potent vanilloid receptor agonists and analgesics. Bioorg. Med. Chem. 9 (1): 19-32, 2001.
289. Lorenzo, P.S., Kung, J.W., Bottorff, D.A., Garfield, S.H., Stone, J.C., and Blumberg, P.M. Phorbol esters modulate the Ras exchange factor RasGRP3. Cancer Res. 61: 943-949, 2001.
290. Lee, J., Han, K.E., Lee, S.Y., Kim, S.Y., Kang, J.H., Lewin, N.E., Best, L.S., Blumberg, P.M., and Marquez, V.E. 5-acyloxy-5-hydroxymethyltetrahydro-2-furancarboxylate as a novel template for protein kinase C (PKC) binding. Il Farmaco 56: 203-210, 2001.
291. Pak, Y., Enyedy, I., Varady, J., Kung, J.W., Lorenzo, P.S., Blumberg, P.M., and Wang, S. Structural basis of binding of high affinity ligands to protein kinase C: prediction of the binding modes through a new molecular dynamics method and evaluation by site-directed mutagenesis. J. Med. Chem. 44: 1690-1701, 2001.
292. Nacro, K., Sigano, D.M., Yan, S., Nicklaus, M.C., Pearce, L.L., Lewin, N.E., Blumberg, P.M., and Marquez, V.E. A small combinatorial library helps identify the ideal diacylglycerol ligand for protein kinase C that combines the highest binding affinity (K_i) and the lowest lipophilicity. J. Med. Chem. 44: 1892-1904, 2001.
293. Mandil, R., Ashkenazi, E., Blass, M., Kronfeld, I., Kazimirsky, G., Rosenthal, G., Umansky, F., Lorenzo, P.S., Blumberg, P.M., and Brodie, C. Protein kinase C γ and protein kinase C * play opposite roles in the proliferation and apoptosis of glioma cells. Cancer Res. 61: 4612-4619, 2001.
294. Wang, Q.J., Fang, T.-W., Nacro, K., Wang, S., Marquez, V.E., and Blumberg, P.M. Role of hydrophobic residues in the C1b domain of protein kinase C * on ligand and phospholipid interactions. J. Biol. Chem. 276: 19580-19587, 2001.
295. Olah, Z., Szabo, T., Karai, L., Hough, C., Fields, R.D., Caudle, R.M., Blumberg, P.M. and Iadarola, M.J. Ligand-induced dynamic membrane changes and cell deletion conferred by vanilloid receptor J. Biol. Chem. 276: 11021-11030, 2001.

296. Lee, J., Lee, J., Szabo, T., Gonzalez, A.F., Welter, J.D., and Blumberg, P.M. N-(3-acyloxy-2-benzylpropyl)-N'-dihydroxy tetrahydrobenzazepine and tetrahydroisoquinoline thiourea analogues as vanilloid receptor ligands. *Bioorg. Med. Chem.* 9: 1713-1720, 2001.
297. Kedei, N., Szabo, T., Lile, J.D., Treanor, J.J., Olah, Z., Iadarola, M.J., and Blumberg, P.M. Analysis of the native quaternary structure of vanilloid receptor 1. *J. Biol. Chem.* 276: 28613-28619, 2001.
298. Shao, L., Lewin, N.E., Lorenzo, P.S., Hu, Z., Garfield, S.H., Stone, J.C., Marner, F.-J., Blumberg, P.M., and Wang, S. Iridals are a novel class of ligands for phorbol ester receptors with modest selectivity for the RasGRP receptor subfamily. *J. Med. Chem.* 44: 3872-3880, 2001.
299. Kuzhikandathil, E.V., Wang, H., Morozova, N., Szabo, T., Blumberg, P.M., and Oxford, G.S. Conserved residues in the putative sixth transmembrane domain of the capsaicin receptor (VR1) are critical for function. *J. Neuroscience* 21: 8697-8706, 2001.
300. Lee, J., Han, K.C., Kang, J.H., Pearce, L.L., Lewin, N.E., Yan, S., Benzaria, S., Nicklaus, M.C., Blumberg, P.M., and Marquez, V.E. Conformationally constrained analogues of diacylglycerol. 18. The incorporation of a hydroxamate moiety into DAG-Lactones reduces lipophilicity and helps discriminate between *sn*-1 and *sn*-2 binding modes to protein kinase C (PK-C). Implications for isozyme specificity. [published erratum in *J. Med. Chem.* 46(13): 2794, 2003] *J. Med. Chem.* 44: 4309-4312, 2001.
301. Ma, D., Zhang, T., Wang, G., Kozikowski, A.P., Lewin, N.E., and Blumberg, P.M. Synthesis of 7,8-disubstituted benzolactam-V8 and its binding to protein kinase C. *Bioorg. Med. Chem. Lett* 11(2): 99-101, 2001.
302. Gracia-Bermejo, M.L., Leskow, F.C., Fujii, T., Wang, Q., Blumberg, P.M., Ohba, M., Kuroki, T., Lee, J., Marquez, V.E., and Kazanietz, M.G. DAG lactones, a new class of PKC agonists, induce apoptosis in LNCaP prostate cancer cells by selective activation of PKC \forall . [published erratum in *J. Biol. Chem.* 279: 23846, 2004] *J. Biol. Chem.* 277: 645-655, 2002.
303. Blass, M., Kronfeld, I., Kazimirsky, G., Blumberg, P.M., and Brodie, C. Phosphorylation of PKC* is essential for its apoptotic effect in response to etoposide. *Mol. Cell. Biol.* 22: 182-195, 2002.
304. Lee, J., Lee, J., Kang, M.S., Kim, K.P., Chung, S., Blumberg, P.M., Yi, J.B., and Park, Y.H. Phenolic modification as an approach to improve the pharmacology of 3-acyloxy-2-benzylpropyl homovanillic amides and thioureas, a promising class of vanilloid receptor agonists and analgesics, *Bioorg. Med. Chem.* 10: 1171-1179, 2002.
305. Szabo, T., Biro, T., Gonzalez, A.F., Palkovits, M., and Blumberg, P.M. Pharmacological characterization of vanilloid receptor located in the brain. *Mol. Brain Res.* 98: 51-57, 2002.

306. Rong, S.-B., Enyedy, I.J., Qiao, L., Zhao, L., Ma, D., Pearce, L.L., Lorenzo, P.S., Stone, J.C., Blumberg, P.M., Wang, S., and Kozikowski, A.P. Structural basis of RasGRP binding to high affinity PKC ligands. *J. Med. Chem.* 45: 853-869, 2002.
307. Joseloff, E., Cataisson, C., Aamodt, H., Ocheni, H., Blumberg, P.M., Kraker, A.J., and Yuspa, S.H. Src family kinases phosphorylate PKC* on tyrosine residues and moddyfie the neoplastic phenotype of skin keratinocytes. *J. Biol. Chem.* 277: 12318-12323, 2002.
308. Toth, A., Kedei, N., Szabo, T., Wang, Y., and Blumberg, P.M. Thapsigargin binds to and inhibits the cloned vanilloid receptor 1. *Biochem. Biophys. Res. Commun.* 293: 777-782, 2002.
309. Nacro, K., Lee, J., Barchi, J.J. Jr., Lewin, N.E., Blumberg, P.M., and Marquez, V.E. Conformationally constrained analogues of diacylglycerol (DAG). 19. Asymmetric syntheses of (3R)- and (3S)-3-hydroxy-4,4-disubstituted hepteno-1,4-lactones as protein kinase C (PK-C) ligands with increased hydrophilicity. *Tetrahedron* 58: 5335-5345, 2002.
310. Di Marzo, V., Blumberg, P.M., and Szallasi, A. Endovanilloid signaling in pain. *Curr. Opin. Neurobiol.* 12: 372-379, 2002.
311. Wei, Z.L., Sakamuri, S., Petukhov, P., Sakamuri, S., George, C., Lewin, N.E., Blumberg, P.M., and Kozikowski, A.P. Synthesis and modeling study of (2S,5R,6R)- and (2S,5R,6S)-6-hydroxy-8-(1-decynyl)-benzolactam-V8 as protein kinase C modulators. *Org. Lett.* 4: 2169-2172, 2002.
312. Zrachia, A., Dobroslav, M., Blass, M., Kazimirsky, G., Kronfeld, I., Blumberg, P.M., Kobiler, D., Lustig, S., and Brodie, C. Infection with Sindbis virus induces selective activation and tyrosine phosphorylation of PKC*. Implications for Sindbis virus-induced apoptosis. *J. Biol. Chem.* 277: 23693-23701, 2002.
313. Wang, Y., Szabo, T., Welter, J.D., Toth, A., Tran, R., Lee, J., Kang, S.U., Suh, Y.G., Blumberg, P.M., and Lee, J. High affinity antagonists of vanilloid receptor. [published erratum appears in Mol. Pharmacol 63: 958, 2003] *Mol. Pharmacol.* 62:947-956, 2002.
314. Pettit, G.R., Ducki, S., Tan, R., Gardella, R.S., McMahon, J.B., Boyd, M.R., Pettit, G.R. III, Blumberg, P.M., Lewin, N.E., Doubek, D.L., Tackett, L.P., and Williams, M.D. Isolation and structure of pedilstatin from a Republic of Maldives *Pedilanthus* sp. *J. Nat. Prod.* 65: 1262-1265, 2002.
315. Brodie, C., and Blumberg, P.M. Regulation of cell apoptosis by protein kinase C *. *Apoptosis* 8: 19-27, 2003.
316. Kozikowski, A.P., Nowak, I., Petukhov, P.A., Etcheberrigaray, R., Mohamed, A., Tan, M., Lewin, N.E., Hennings, H., Pearce, L.V., and Blumberg, P.M. New amide-bearing benzolactam-based PKC modulators induce enhanced secretion of the amyloid precursor protein metabolite sAPP- \forall . *J. Med. Chem.* 46: 364-373, 2003.

317. Clark, A.S., West, K., Blumberg, P.M., and Dennis, P.A. Altered PKC isoforms in NSCLC cells: PKC* promotes cellular survival and chemotherapeutic resistance. Cancer Res. 63 (4): 780-786, 2003.
318. Sigano, D.M., Peach, M.L., Nacro, K., Choi, Y., Lewin, N.E., Nicklaus, M.C., Blumberg, P.M., and Marquez, V.E., Differential binding modes of diacylglycerol (DAG) and DAG-lactones to protein kinase C (PK-C). J. Med. Chem. 46: 1571-1579, 2003.
319. Kang, J.H., Chung, H.E., Kim, S.Y., Kim, Y., Lee, J., Lewin, N.E., Pearce, L.V., Blumberg, P.M., and Marquez, V.E. Conformationally constrained analogues of diacylglycerol (DAG). Effect on protein kinase C (PK-C) binding by the isosteric replacement of sn-1 and sn-2 esters in DAG-lactones. Bioorg. Med. Chem. 11: 2529-2539, 2003.
320. Toth, A., Kedei, N., Wang, Y., and Blumberg, P.M. Arachidonyl dopamine as a ligand for the vanilloid receptor VR1 of the rat. Life Sci. 73: 487-498, 2003.
321. Choi, Y., Kang, J.H., Lewin, N.E., Blumberg, P.M., Lee, J., and Marquez, V.E. Conformationally constrained analogues of diacylglycerol. 19. Synthesis and protein kinase C (PK-C) binding affinity of DAG-lactones bearing an N-hydroxylamide side chain. J. Med. Chem., 46(13): 2790-2793, 2003.
322. Lewin, N.E., and Blumberg, P.M. [³H]phorbol 12,13-dibutyrate binding assay for protein kinase C and related proteins. Methods Mol. Biol. 233: 129-156, 2003 (Protein kinase C protocols, Vol 233, ed. Alexandra C. Newton, Humana Press, Totowa, N.J. pp. 129-156, 2003)
323. Marquez, V.E., and Blumberg, P.M. Diacylglycerol (DAG) and DAG-lactones as selective activators of protein kinase C (PK-C). Accounts Chem. Res. 36(6): 434-443, 2003.
324. Lee, J., Lee, J., Kang, M., Shin, M.Y., Kim, J.M., Kang, S.U., Lim, J.O., Choi, H.K., Suh, Y.G., Park, H.K., Oh, U., Kiim, H.D., Park, Y.H., Ha, H.J., Kim, Y.H., Toth, A., Tran, R., Wang, Y., Pearce, L.V., Lundberg, D.J., and Blumberg, P.M. N-(3-acyloxy-2-benzylpropyl)-N'-[4-(methylsulfonylamino)benzyl]thiourea analogues: novel potent and high affinity antagonists and partial agonists of the vanilloid receptor. J. Med. Chem. 46: 3116-3126, 2003.
325. Hyman, T., Huizing, M., Blumberg, P.M., Falik-Zaccai, T.C., Anikster, Y, and Gahl, W.A. Use of a cDNA microarray to determine molecular mechanisms involved in gray platelet syndrome. Br. J. Haematol. 122(1): 142-149, 2003.
326. Wang, Y., Toth, A., Tran, R., Szabo, T., Welter, J.D., Blumberg, P.M., Lee, J., Kang, S.U., Lim, J.O., and Lee, J. High affinity partial agonists of the vanilloid receptor. Mol. Pharmacol. 64: 325-333, 2003.
327. Bocklandt, S., Blumberg, P.M., and Hamer, D.H., Activation of latent HIV-1 expression by the potent anti-tumor promoter 12-deoxyphorbol 13-phenylacetate. Antiviral Research 59(2): 89-98, 2003.

328. Sridhar J., Wei, Z.L., Nowak, I., Lewin, N.E., Ayres, J., Pearce, L.V., Blumberg, P.M., and Kozikowski, A.P. New bivalent PKC ligands linked by a carbon spacer: enhancement in binding affinity. *J. Med. Chem.* 46(19): 4196-4204, 2003.
329. Hamer, D.H., Bocklandt, S., McHugh, L., Chun, T.W., Blumberg, P.M., Sigano, D.M., and Marquez, V.E. Rational design of drugs that induce human immunodeficiency virus replication. *J. Virol.* 77(19): 10227-10236, 2003.
330. Lazar, J., Szabo, T., Kovacs, L., Blumberg, P.M., and Biro, T. Distinct features of recombinant rat vanilloid receptor 1 expressed in various expression systems. *Cell. Mol. Life Sci.* 60 (10):2228-2240, 2003.
331. Wang, Q.J., Fang, T.W., Yang, D., Lewin, N.E., van Lint, J., Marquez, V.E., and Blumberg, P.M. Ligand structure activity requirements and phospholipid dependence for the binding of phorbol esters to protein kinase D. *Mol Pharmacol.* 64: 1342-1348, 2003.
332. Rambaratsingh, R.A., Stone, J.C., Blumberg, P.M., and Lorenzo, P.S. RasGRP1 represents a novel, non-PKC phorbol ester signaling pathway in mouse epidermal keratinocytes. *J. Biol. Chem.* 278:52792-52801, 2003.
333. Lee, J., Kang, S.U., Lim, J.O., Choi, H.K., Jin, M.K., Toth, A., Pearce, L.V., Tran, R., Wang, Y., Szabo, T., and Blumberg, P.M. N-[4-(methylsulfonylamino)benzyl]thiourea analogues as vanilloid receptor antagonists: structure activity relationship studies for the "C-region". *Bioorg Med. Chem.* 12: 371-385, 2004.
334. Toth, A., Blumberg, P.M., Chen, Z., and Kozikowski, A.P. Design of a high affinity, competitive antagonist of the vanilloid receptor selective for the calcium entry linked receptor population. *Molecular Pharmacology* 65(2): 282-291, 2004.
335. Tamamura, H., Sigano, D.M., Lewin, N.E., Blumberg, P.M., and Marquez, V.E. Conformationally constrained analogues of diacylglycerol. 20. The search for an elusive binding site on protein kinase C (PK-C) through relocation of the carbonyl pharmacophore along the *sn*-1 side chain of 1,2-diacylglycerol-lactones. *J. Med. Chem.* 47(3): 644-655, 2004.
336. Lee, J., Kim, S.Y., Park, S., Lim, J.O., Kim, J.M., Kang, M., Lee, J., Kang, S.U., Choi, H.K., Jin, M.K., Welter, J.D., Szabo, T., Tran, R., Pearce, L.V., Toth, A., and Blumberg, P.M. Structure activity relationship of simplified resiniferatoxin analogues with potent VR1 agonism elucidates an active conformation of RTX for VR1 binding. *Bioorg. Med Chem.* 12:1055-1069, 2004.
337. Lee, J., Kim, S.Y., Kang, J.H., Lewin, N.E., Acs, G., Acs, P., Blumberg, P.M., and Marquez, V.E. Conformationally constrained diacylglycerol (DAG) analogues: synthesis of 4-C-hydroxyethyl-5-O-acyl-2,3-dideoxy-D-glyceropentono-1,4-lactone analogues as protein kinase C (PKC) ligands. *Eur. J. Med. Chem.* 39: 69-77, 2004.
338. Wang, Q.J., Lu, G., Schlapkohl, W., Goerke, A., Larsson, C., Mischak, H., Blumberg, P.M., and Mushinski, J.F. The V5 domain of protein kinase C plays a critical role in determining the isoform-

specific localization, translocation and biological functions of protein kinase C-* and -,. Mol. Cell. Res. 2: 129-140, 2004.

339. Pettit, G.R., Hoffmann, H., Herald, D.L., Blumberg, P.M., Hamel, E., Schmidt, J.M., Chang, Y., Pettit, R.K., Lewin, N.E., and Pearce, L.V. Antineoplastic agents 499. Synthesis of hystatin 2 and related 1H-benzo[de][1,6]-naphthyridinium salts from aaptamine. J. Med. Chem. 47:1775-1782, 2004.
340. Pettit, G.R., Hoffmann, H., Herald, D.L., McNulty, J., Murphy, A., Higgs, K.C., Hamel, E., Lewin, N.E., Pearce, L.V., Blumberg, P.M., Pettit, R.K., and Knight, J.C. Antineoplastic agents 491. Synthetic conversion of aaptamine to isoaaptamine and 9-emethylaaptamine. J. Org. Chem. 69(7):2251-2256, 2004.
341. Lee, J., Kang, S.U., Choi, H.K., Lee, J., Lim, J.O., Kil, M.J., Jin, M.K., Kim, K.P., Chung, S.J., Ha, H.J., Kim, Y.H., Pearce, L.V., Tran, R., Lundberg, D.J., Wang, Y., Toth, A., and Blumberg, P.M. Analysis of structure activity relationships for the "B-region" of N-(3-acyloxy-2-benzylpropyl)-N'-[4-(methylsulfonylamino)benzyl]thiourea analogues as vanilloid receptor antagonists: discovery of an N-hydroxythiourea analogue with potent analgesic activity. Bioorg. Med. Chem. Lett. 14:2291-2297, 2004.
342. Lazar, J., Szabo, T., Marincsak, R., Kovacs, L., Blumberg, P.M., and Biro, T. Sensitization of recombinant vanilloid receptor-1 by various neurotrophic factors. Life Sci. 75(2): 153-163, 2004.
343. Papp, H., Czifra, G. Bodo, E., Lazar, J., Kovacs, I., Aleksza, M., Juhasz, I., Acs, P., Sipka, L., Blumberg, P.M., and Biro, T. Opposite roles of protein kinase C isoforms in proliferation, differentiation, apoptosis, and tumorigenicity of Human HaCaT keratinocytes. Cell. Mol. Life Sci 61(9): 1095-1105, 2004.
344. Kedei, N., Lundberg, D.J, Toth, A., Welburn, P., Garfield, S.H., and Blumberg, P.M. Characterization of the interaction of ingenol 3-angelate with protein kinase C. Cancer Research 64 (9): 3245-3255, 2004.
345. Duan, D., Lewin, N.E., Sigano, D.M., Blumberg, P.M., and Marquez, V.E. Conformationally constrained analogues of diacylglycerol. 21. A solid-phase method of synthesis of Diacylglycerol lactones (DAG-lactones) as a prelude to a combinatorial approach for the synthesis of protein kinase C (PK-C) isozyme -specific ligands. J. Med. Chem. 47(12): 3248-3254, 2004
346. Gavva, R.R., Klionsky, L., Qu, Y., Shi, L., Tamir, R., Edenson, S., Zhang, T.J., Viswanadhan, V.N., Toth, A., Pearce, L.V., Vanderah, T.W., Porreca, F., Blumberg, P.M., Lile, J., Sun, Y., Wild, K., Louis, J.C., and Treanor, J.J.S. Molecular determinants of vanilloid sensitivity in TRPV1. J. Biol. Chem. 279 (19):20283-20295, 2004.
347. Lee, J., Kim, S.Y., Lee, J., Kang, M., Kil, M.J., Choi, H.K., Jin, M.K., Wang, Y., Toth, A., Pearce, L.V., Lundberg, D.J., Tran, R., and Blumberg, P.M. Analysis of structure activity relationships with the N-(3-acyloxy-2-benzylpropyl)-N'-[4-(methylsulfonylamino)benzyl]thiourea template for vanilloid receptor 1 antagonism. Bioorg. Med. Chem. 12: 3411-3420, 2004.

348. Kang, J.H., Siddiqui, M.A., Sigano, D. M., Krajewski, K., Lewin, N.E., Pu, Y., Blumberg, P.M., Lee, J., and Marquez, V.E. Conformationally constrained analogues of diacylglycerol. 24. Asymmetric synthesis of a chiral (R)-DAG-Lactone template as a versatile precursor for highly functionalized DAG-lactones. *Org. Lett.* 6(14): 2413-2416, 2004.
349. Brodie, C., Steinhart, R., Kazimirsky, G., Rubinfeld, H., Hyman, T., Ayres, J.A., Hur, G.M., Toth, A., Yang, D., Garfield, S.H., Stone, J.C., and Blumberg, P.M. PKC delta associates with and phosphorylates RasGRP3 in response to phorbol esters. *Mol. Pharmacol.* 66(1): 76-84, 2004.
350. Kang, J.H., Kim, S.Y., Lee, J., Marquez, V.E., Lewin, N.E., Pearce, L.V., and Blumberg, P.M. Macrocyclic diacylglycerol-bis-lactones as conformationally constrained analogues of diacylglycerol-lactones. Interactions with protein kinase C. *J. Med. Chem.* 47: 4000-4007, 2004.
351. Pearce, L.V., Petukhov, P.A., Szabo, T., Kedei, N., Bizik, F., Kozikowski, A.P., and Blumberg, P.M. Evodiamine functions as an agonist for the vanilloid receptor TRPV1. *Org. Biomol. Chem.* 2: 2281-2286, 2004.
352. Tamamura, H., Sigano, D.M., Lewin, N.E., Peach, M.L., Nicklaus, M.C., Blumberg, P.M., and Marquez, V.E. Conformationally constrained analogues of diacylglycerol (DAG). 23. Hydrophobic ligand-protein interactions versus ligand-lipid interactions of DAG-lactones with protein kinase C (PK-C). *J. Med. Chem.* 47 (20): 4858-4864, 2004.
353. Wang, Y., Kedei, N., Wang, M., Wang, Q.J., Huppler, A., Toth, A., Tran, R., and Blumberg, P.M. The interaction between PKC mu and the vanilloid receptor type 1. *J. Biol. Chem.* 279(51): 53674-53682, 2004.
354. Braun, D.C., Cao, Y., Wang, S., Garfield, S., Hur, G.M., and Blumberg, P.M. Role of phorbol ester localization in determining protein kinase C or RasGRP3 translocation: real-time analysis using fluorescent ligands and proteins. *Mol Cancer Ther.* 4(1): 141-150, 2005.
355. Braun, D.C., Garfield, S.H., and Blumberg, P.M. Analysis by fluorescence resonance energy transfer of the interaction between ligands and protein kinase C (delta) in the intact cell. *J. Biol. Chem.* 280 (9): 8164-8171, 2005.
356. Toth, A., Wang, Y., Kedei, N., Tran, R., Pearce, L.V., Kang, S.U., Jin, M.K., Choi, H.K., Lee, J., and Blumberg, P.M. Different vanilloid agonists cause different patterns of calcium response in CHO cells heterologously expressing rat TRPV1. *Life Sci.* 76: 2921-2932, 2005.
357. Toth, A., Boczan, J., Kedei, N., Lizanecz, E., Bagi, Z., Papp, Z., Edes, I., Csiba, L., and Blumberg, P.M. Expression and distribution of vanilloid receptor 1 (TRPV1) in the adult rat brain. *Mol. Brain Res.* 135: 162-168, 2005.

358. Okhrimenko, H., Lu, W., Jiang, C., Ju, D., Blumberg, P.M., Gomel, R., Kazimirsky, G., and Brodie, C. Role of tyrosine phosphorylation and cleavage of PKC* in its protective effect against TRAIL-induced apoptosis. *J. Biol. Chem.*, 280(25): 23643-23652, 2005.
359. Qiang, Y.W., Walsh, K., Yao, L., Kedei, N., Blumberg, P.M., Rubin, J.S., Shaughnessy, J. Jr., Rudikoff, S. Wnts induce migration/invasion of myeloma plasma cells. *Blood* 106(5): 1786-1793, 2005 (epub May 10, 2005).
360. Pu, Y., Perry, N.A., Yang, D., Lewin, N.E., Kedei, N., Braun, D.C., Choi, S.H., Blumberg, P.M., Garfield, S.H., Stone, J.C., Duan, D., and Marquez, V.E. A novel diacylglycerol lactone shows marked selectivity in vitro among C1 domains of PKC isoforms \forall and * as well as selectivity for RasGRP compared to PKC. *J. Biol. Chem.* 280 (29): 27329-27338, 2005.
361. Lee, J., Jin, M.K., Kang, S.U., Kim, S.Y., Lee, J., Shin, M., Hwang, J., Cho, S., Choi, Y.S., Choi, H.K., Kim, S.E., Suh, Y.G., Lee, Y.S., Kim, Y.H., Ha, H.J., Toth, A., Pearce, L.V., Tran, R., Szabo, T., Welter, J.D., Lundberg, D.J., Wang, Y., Lazar, J., Pavlyukovets, V.A., Morgan, M.A., and Blumberg, P.M. Analysis of structure activity relationships for the “B-region” of N-(4-t-butylbenzyl)-4’-[4-(methylsulfonylamino)benzyl]thiourea analogues as TRPV1 receptor antagonists. *Bioorg. Med. Chem. Lett.* 15(18): 4143-4150, 2005 (Epub June 28, 2005).
362. Lee, J., Kang, S.U., Kil, M.J., Shin, M., Lim, J.O., Choi, H.K., Jin, M.K., Kim, S.Y., Kim, S.E., Lee, Y.S., Min, K.H., Kim, Y.H., Ha, H.J., Tran, R., Welter, J.D., Wang, Y., Szabo, T., Pearce, L.V., Lundberg, D.J., Toth, A., Pavlyukovets, V.A., Morgan, M.A., and Blumberg, P.M. Analysis of structure activity relationships for the “A-region” of N-(4-t-butylbenzyl)-4’-[4-(methylsulfonylamino)benzyl]thiourea analogues as TRPV1 receptor antagonists. *Bioorg. Med. Chem. Lett.* 15(18): 4136-4142, 2005 (Epub July 5, 2005).
363. Blumberg, P.M., Braun, D., Kedei, N., Lazar, J., Pavlyukovets, V., and Pearce, L.V. Insights into TRPV1 pharmacology provided by non-capsaicin ligands. In: *Turning up the Heat on Pain: TRPV1 Receptors in Pain and Inflammation*, Progress in Inflammation Research, Malmberg, A. B., and Bley, K.R., (Eds.), New York, Birkhäuser Verlag, pp. 55-69, 2005.
364. Kang, J.H., Peach, M.L., Pu, Y., Lewin, N.E., Nicklaus, M.C., Blumberg, P.M., and Marquez, V.E. Conformationally constrained analogues of diacylglycerol (DAG). 25. Exploration of the sn-1 and sn-2 carbonyl functionality reveals the essential role of the sn-1 carbonyl at the lipid interface in the binding of DAG-lactones to protein kinase C. *J. Med. Chem.* 48(18): 5738-5748, 2005.
365. Lee, J., Lee, J.H., Kim, S.Y., Perry, N.A., Lewin, N.E., Ayres, J.A., and Blumberg, P.M. 2-benzyl and 2-phenyl-3-hydroxypropyl pivalates as protein kinase C ligands. *Bioorg. Med. Chem.* 14: 2022-2031, 2006 (Epub Nov 14, 2005).
366. Lizanecz, E., Bagi, Z., Paztor, E.T., Papp, Z., Edes, I., Kedei, N., Blumberg, P.M., and Toth, A. Phosphorylation dependent desensitization of vanilloid receptor-1 (TRPV1) function in rat skeletal muscle arterioles and in CHO-TRPV1 cells by anandamide. *Mol. Pharmacol.* 69: 1015-1023, 2006 (Epub Dec 7, 2005).

367. Czifra, G., Toth, I.B., Marincsak,R., Juhasz, I., Acs, P., Kovacs,L., Blumberg, P.M., and Biro, T. Insulin-like growth factor-I-coupled mitogenic signaling in primary cultured human skeletal muscle cells and in C2C12 myoblasts. A central role of protein kinase C delta. *Cellular Signaling* 18: 1461-1472, 2006 (Epub Jan 2, 2006).
368. Lazar, J., Braun, D.C., Toth, A., Wang, Y., Pearce, L.V., Pavlyukovets, V.A., , Blumberg, P.M., Garfield, S.H., Wincovitch, S., Choi, H.K., and Lee, J. Kinetics of penetration influence the apparent potency of vanilloids on TRPV1. *Mol. Pharmacol.* 69: 1166-1173, 2006 (Epub. Jan 17, 2006).
369. Lee, J., Kang, J.H., Han, K.C., Kim, Y., Kim, S.Y., Youn, H.S., Mook-Jung, I., Kim, H., Han, J.H.L., Ha, H.J., Kim, Y.H., Marquez, V.E., Lewin, N.E., Pearce, L.V., Lundberg, D.J., and Blumberg, P.M. Branched DAG-lactones as potent PKC ligands and alpha-secretase activators. *J. Med. Chem.* 49: 2028-2036, 2006.
370. Kang, J.H., Benzaria, S., Sigano, D.M., Lewin, N.E., Pu, Y., Blumberg, P.M., and Marquez, V.E. Conformationally constrained analogues of diacylglycerol (DAG). 26. Aryl groups at *sn*-1 and *sn*-2 positions expand the chemical repertoire of diacylglycerol lactones and help explore the chemical space surrounding the protein kinase C binding site. *J. Med. Chem.* 49: 3185-3203, 2006.
371. Mach, U.R., Lewin, N.E., Blumberg, P.M., and Kozikowski, A.P., Synthesis and pharmacological evaluation of new 8- and 9-substituted benzolactam V8 derivatives as potential ligands for protein kinase C, a therapeutic target for Alzheimer's Disease. *Chem. Med. Chem.* 1: 307-314, 2006.
372. Choi, C.H., Hyman, T., and Blumberg, P.M. The differential effects of bryostatin 1 and phorbol 12-myristate 13-acetate on HOP-92 cell proliferation is mediated by down regulation of PKC delta. *Cancer Res.* 66: 7261-7269, 2006.
373. Pu, Y., Peach, M., Garfield, S.H., Wincovitch, S., Marquez, V.E., and Blumberg, P.M., Effects on ligand interaction and membrane translocation of the positively charged arginine residues situated along the C1 domain binding cleft in the atypical protein kinase C isoforms. *J. Biol. Chem.* 281: 33773-33788, 2006 (Epub. Sept 1, 2006).
374. Szallasi, A., and Blumberg, P.M. Complex regulation of TRPV1 by vanilloids. In: *TRP ion channel function in sensory transduction and cellular signaling cascades*, Liedtke, W., and Heller, S. (Ed.)., pp. 85 -104,CRC Press, Ltd, Boca Raton, FL., 2006.
375. Kang, D.W., Ryu, H.C., Lee, J., Lang, K.A., Pavlyukovets, V.A., Pearce, L.V., Ikeda, T., Lazar, J., and Blumberg, P.M. Halogenation of 4-hydroxy-3-methoxybenzyl thiourea TRPV1 agonists showed enhanced antagonism to capsaicin. *Bioorg. Med. Chem.Lett.* 17: 214-219, 2007 (Epub Oct 9, 2006)
376. Malolanarasimhan, K., Kedei, N., Sigano, D.M., Kelley, J.A., Lai, C.C., Lewin, N.E., Surawski, R.J., Pavlyukovets, V.A. Garfield, S.H., Wincovitch, S., Blumberg, P.M., and Marquez, V.E. Conformationally constrained analogues of diacylglycerol (DAG). 27. Modulation of membrane

translocation of protein kinase C (PKC) isozymes α and β by diacylglycerol lactones (DAG-lactones) containing rigid-rod acyl groups. *J. Med. Chem.* 50: 962-978, 2007 (Epub Feb. 7, 2007).

377. Tang, L., Chen, Y., Chen, Z., Blumberg, P.M., Kozikowski, A.P., and Wang, Z.J. Antinociceptive pharmacology of N-(4-chlorobenzyl)-N'-(4-hydroxy-3-iodo-5-methoxybenzyl) thiourea (IBTU), a high affinity competitive antagonist of transient receptor potential vanilloid 1 receptor. *J. Pharmacol. Exper. Ther.* 321(2): 791-798, 2007 (Epub. Feb 20, 2007).
378. Choi, Y.*, Pu, Y.*, Peach, M.L.* Kang, J.H., Lewin, N.E., Sigano, D.M., Garfield, S.H., Blumberg, P.M., and Marquez, V.E. Conformationally constrained analogues of diacylglycerol (DAG). 28. DAG-dioxolanones reveal a new interaction site in the C1b domain of PKC delta. *J. Med. Chem.* 50: 3465-3481, 2007 (Epub 6/23/2007).
379. Chung, J.U., Kim, S.Y., Lim, J.O., Choi, H.K., Kang, S.U., Yoon, H.S., Ryu, H.C., Kang, D.W., Lee, J., Kang, B., Choi, S., Toth, A., Pearce, L.V., Pavlyukovets, V.A., Lundberg, D.J., and Blumberg, P.M. α -Substituted N-(4-t-Butylbenzyl)-N'-(4-(methylsulfonylamino)benzyl)thiourea analogues as potent and stereospecific TRPV1 antagonists. *Bioorg. Med. Chem.* 15: 6043-6053, 2007 (epub June 26, 2007).
380. Zhu, H.H., Yang, Y.R., Zhang, H., Han, Y., Li, Y.F., Zhang, Y., Yin, D.M., He, Q.H., Zhao, Z.Q., Blumberg, P.M., Han, J.S., and Wang, Y. Interaction between protein kinase D1 and transient receptor potential V1 in primary sensory neurons is involved in heat hypersensitivity. *Pain* 137: 574-588, 2008 (epub Nov 30, 2007).
381. Ryu, H., Jin, M.K., Kim, S.Y., Choi, H.K., Kang, S.U., Kang, D.W., Lee, J., Pearce, L.V., Pavlyukovets, V.A., Morgan, M.A., Tran, R., Toth, A., Lundberg, D.J., and Blumberg, P.M. Stereospecific high-affinity TRPV1 antagonists: chiral N-(2-benzyl-3-pivaloylpropyl) 2-[4-(methylsulfonylamino)phenyl]propionamide analogues. *J. Med. Chem.* 51: 57-67, 2008 (epub Dec 12, 2007).
382. Gönczi, M., Telek, A., Czifra, G., Balogh, A., Blumberg, P.M., Biró, T., and Csernoch, L. Altered calcium handling following the recombinant overexpression of protein kinase C isoforms in HaCaT cells. *Exp. Dermatol.* 17: 584-591, 2008 (Epub Dec 31, 2007).
383. Blumberg, P.M. Lighting a backfire to quench the blaze. A combined drug approach targeting the vanilloid receptor. *Mol. Interv.* 7(6): 310-312, 2007.
384. Pearce, L.V., Toth, A., Ryu, H.C., Kang, D.W., Choi, H.K., Jin, M.K., Lee, J., and Blumberg, P.M. Differential modulation of agonist and antagonist structure activity relations for rat TRPV1 by cyclosporin A and other protein phosphatase inhibitors. *Naunyn Schmiedeberg's Archives of Pharmacology* 377: 149-157, 2008 (epub Feb 8, 2008).
385. Choi, S.H., Czifra, G., Kedei, N., Lewin, N.E., Lazar, J., Pu, Y., Marquez, V.E., and Blumberg, P.M. Characterization of the interaction of phorbol esters with the C1 domain of MRCK (myotonic dystrophy kinase related Cdc42 binding kinase) alpha/beta. *J. Biol. Chem.* 283: 10543-10549, 2008 (epub Feb 7, 2008).

386. Lim, J.O., Jin, M.K., Ryu, H.C., , Kang, D.W., Lee, J., Pearce, L.V., Tran, R., Toth, A., and Blumberg, P.M. Conformationally constrained analogues of N'-(4-t-butylbenzyl)-N-(4-methylsulfonylaminobenzyl)thiourea as TRPV1 antagonists. *Eur. J. Med. Chem.* 44: 322-331, 2009 (epub March 7, 2008).
387. Lomonaco, S.L., Kahana, S., Blass, M., Brody, Y., Xiang, C., Finniss, S., Blumberg, P.M., Lee, H.K., and Brodie, C. Phosphorylation of PKC* on distinct tyrosine residues induces sustained activation of Erk1/2 via downregulation of MKP-1: role in the apoptotic effect of etoposide. *J. Biol. Chem.* 283: 17731-17739, 2008 (epub. April 23, 2008).
388. Keck, G.E., Kraft, M.B., Truong, A.P., Li, W., Sanchez, C.C., Kedei, N., Lewin, N.E., and Blumberg, P.M. Convergent assembly of highly potent analogues of bryostatin 1 via pyran annulation: bryostatin look-alikes that mimic phorbol ester function. *J. Am. Chem. Soc.* 130: 6660-6661, 2008 (epub May 2, 2008).
389. Duan, D., Sigano, D.M., Kelley, J.A., Lai, C., Lewin, N.E., Kedei, N., Peach, M.L., Lee, J., Abeyweera, T.P., Rotenberg, S.A., Kim, H., Kim, Y.H., El-Kazzouli, S., Chung, J.U., Young, H.A., Young, M.R., Baker, A., Colburn, N.H., Haimovitz-Friedman, A., Truman, J. P., Parrish, D.A., Deschamps, J.R., Perry, N.A., Surawski, R.J., Blumberg, P.M., and Marquez, V.E. Conformationally constrained analogues of diacylglycerol. 29. Cells sort diacylglycerol-lactone chemical zip codes to produce diverse and selective biological activities. *J. Med. Chem.*, 51: 5198-5220, 2008 (epub Aug 13, 2008).
390. El Kazzouli, S., Lewin, N.E., Blumberg, P.M., and Marquez, V.E. Conformationally constrained analogues of diacylglycerol (DAG). 30. An investigation of DAG-lactones containing heteroaryl groups reveals compounds with high selectivity for Ras guanyl nucleotide-releasing proteins. *J. Med. Chem.* 51: 5371-5386, 2008 (epub Aug. 16, 2008).
391. Blumberg, P.M., Kedei, N., Lewin, N.E., Yang, D., Czifra, G., Pu, Y., Peach, M.L., and Marquez, V.E. Wealth of opportunity – the C1 domain as a target for drug development. *Current Drug Targets* 9: 641-652, 2008.
392. Szegedi, A., Payer E., Czifra G., Toth, B.I., Schmidt, E., Kovacs, L., Blumberg, P.M., and Biro, T. Protein kinase C isoforms differentially regulate the differentiation-dependent expression of adhesion molecules in human epidermal keratinocytes. *Experimental Dermatol.* 18: 122-129, 2009 (epub July 7, 2008).
393. Philosof-Mazor, L, Volinsky, R., Comin, M.J., Lewin, N.E., Kedei, N., Blumberg, P.M., Marquez, V.E., and Jelinek, R. Self-assembly and lipid interactions of diacylglycerol-lactone derivatives studied at the air/water interface. *Langmuir* 24: 11043-11052, 2008 (epub September 13, 2008).
394. Pu, Y., Garfield, S.H., Kedei, N., and Blumberg, P.M. Characterization of the differential roles of the twin C1A and C1b domains of PKC δ . *J. Biol. Chem.* 284: 1302-1312, 2009 (epub Nov 10, 2008).
395. Keck, G.E., Poudel, Y.B., Welch, D.S., Kraft, M.B., Truong, A.P., Stephens, J., Kedei, N., Lewin, N.E., and Blumberg, P.M. Substitution on the A ring confers to bryologues the unique biological activity characteristic of bryostatins and distinct from that of the phorbol esters. *Org Lett* 11: 593-596, 2009 (epub Dec 29, 2008)

396. Stang, S.L., Lopez-Campistrous, A., Song, X., Dower, N.A., Blumberg, P.M., Wender, P.A., and Stone, J.C. A pro-apoptotic signaling pathway involving RasGRP, Erk and Bim in B cells. *Exp. Hematol.* 37: 122-134, 2009.
397. Choi, H.K., Choi, S., Lee, Y., Kang, D.W., Ryu, H.C., Maeng, H.J., Chung, S.J., Pavlyukovets, V.A., Pearce, L.V., Toth, A., Tran, R., Wang, Y., Morgan, M.A., Blumberg, P.M., and Lee, J. Non-vanillyl resiniferatoxin analogues as potent and metabolically stable transient receptor potential vanilloid 1 agonists. *Bioorg. Med. Chem.* 17: 690-698, 2009 (epub Dec 25, 2008)
398. Lazar, J., Gharat, L., Khairathkar-Joshi, N., Blumberg, P.M., and Szallasi, A. Screening TRPV1 antagonists for the treatment of pain – lessons learned over a decade. *Exp. Opin Drug Discovery* 4: 159-180, 2009
399. Kozikowski, A.P., Chen, Y., Subhasish, T., Lewin, N.E., Blumberg, P.M., Zhong, Z., D'Annibale, M.A., Wang, W.L., Shen, Y., and Langley, B.C. Searching for disease modifiers - PKC activation and HDAC inhibition – a dual drug approach to Alzheimer's disease that reduces A β production while blocking oxidative stress. *ChemMedChem* 4, 1095-1105 (epub April 25, 2009).
400. Comin, M.J., Czifra, G., Kedei, N., Telek, A., Lewin, N.E., Kolushev S., Velasquez, J.F., Kobylarz, R., Jelinek, R., Blumberg, P.M., and Marquez, V.E. Conformationally constrained analogues of diacylglycerol (DAG). 31. Modulation of the biological properties of diacylglycerol lactones (DAG-lactones) containing rigid-rod acyl groups separated from the core lactone by spacer units of different lengths. *J. Med. Chem.* 52: 3274-3283, 2009 (epub April 20, 2009).
401. Keck, G.E., Li, W., Kraft, M.B., Kedei, N., Lewin, N.E., and Blumberg, P.M. The bryostatin 1 A-ring acetate is not the critical determinant for antagonism of phorbol ester-induced biological responses. *Org Lett* 11: 2277-2280, 2009 (epub May 6, 2009).
402. Sosa, M.S., Lewin, N.E., Choi, S.H., Blumberg, P.M., and Kazanietz, M.G. Biochemical characterization of hyperactive β 2-chimaerin mutants revealed an enhanced exposure of C1 and Rac-GAP domains. *Biochemistry* 48: 8171-8178 (epub Aug 6, 2009).
403. Toth, A., Blumberg, P.M., and Boczan, J. Chapter, 15, Anandamide and the vanilloid receptor (TRPV1). *Vitamins and Hormones* 81: 389-419, 2009.
404. Ohashi, N., Nomura, W., Kato, M., Narumi, T., Lewin, N.E., Blumberg, P.M., and Tamamura, H. Synthesis of protein kinase C δ C1b domain by the native chemical ligation methodology and characterization of its folding and ligand binding. *J. Peptide Sci.* 15: 642-646, 2009 (epub Aug 11, 2009).
405. Raifman, O., Kolusheva, S., Comin M.J., Kedei, N., Lewin, N.E., Blumberg, P.M., Marquez, V.E., and Jelinek, R. Membrane anchoring of diacylglycerol lactones substituted with rigid hydrophobic acyl domains correlates with biological activities. *FEBS Journal* 277: 39-46, 2010 (epub Dec 3)
406. Kang, J.H., Kim Y., Won, S.H., Park, S.K., Lee, C.W., Kim, H.M., Lewin, N.E., Perry, N.A., Pearce, L.V., Lundberg, D.J., Surawski, R.J., Blumberg, P.M., Lee, J. Polar 3-alkylidene-5-pivaloylocymethyl-5'-hydroxymethyl-gamma-lactones as protein kinase C ligands and antitumor agents. *Bioorg. Med. Chem. Lett.* 20: 1008-1012, 2010 (epub Dec 21, 2009).
407. Keck, G.E., Poudel, Y.B., Rudra, A., Stephens, J.C., Kedei, N., Lewin, N.E., Peach, M.L., and Blumberg, P.M. Molecular Modeling, Synthesis, and Biological Evaluation of C9-Deoxy bryostatin 1. *Angewandte Chemie Int. Ed. Engl.* 49(27): 4580-4584, 2010 (epub May 20 2010).

408. Blumberg, P.M., Kedei, N., Lewin, N.E., Yang, D., Tao, J., Telek, A., Geczy, T. PKC isozymes – receptors for diacylglycerol and phorbol esters. In: Protein Kinase C in Cancer Signaling and Therapy, Ed. Kazanietz, M.G., Springer Publishing Co., N.Y., pp. 25-53, 2010.
409. Raifman O, Kolusheva, S., El Kazzouli, S., Sigano, D., Kedei, N., Lewin, N.E., Lopez-Nicholas, R., Ortiz-Espin, A., Gomez-Fernandez, J.C., Blumberg, P.M., Marquez, V.E., Corbalan, S., and Jelinek, R. Membrane-surface anchoring of charged diacylglycerol-lactones correlates with biological activities. ChemBioChem. 11: 2003-2009, 2010 (epub. Aug 16, 2010).
410. Dazhi Yang, Noemi Kedei, Luowei Li' Juan Tao, Julia F. Velasquez, Balázs I.Tóth, Rita Marincsák, Attila Varga, Tamás Bíró, Stuart H. Yuspa, and Peter M. Blumberg RasGRP3 contributes to formation and maintenance of the prostate cancer phenotype. Cancer Res. 70(20): 7905-7917, 2010 (epub Sept 28, 2010).
411. Kang, D.W., Kim, Y.S., Lim, K.S., Kim, M.S., Lee, J., Pearce, L.V., Pavlyukovets, V.A., Tao, A.K., Lang-Kuhs, K.A., and Blumberg, P.M. Halogenation of 4-hydroxy/amino-3-methoxyphenyl acetamide TRPV1 agonists showed enhanced antagonism to capsaicin. Bioorg. Med. Chem. 18: 8092-8105, 2010 (epub Sept 18, 2010).